




HOROZ[®]

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2022
C A T A L O G U E

www.horozelektrik.com



E x p e r i e n c e i n L i g h t i n g

ADHESIVE TAPE	151	LED SENSOR BULB	05
NEW ALUMINIUM BULKHEAD LAMP	99	NEW LED SENSOR DOWNLIGHT	31
ALUMINIUM PROFILE	133	LED SOLAR CAMPING LIGHT	135
CABLE TIE	151	LED SOLAR HOUSE NUMBER LIGHT	120
CEILING LAMP	70	LED SOLAR LAMP	119
COAXIAL CABLE	151	LED SOLAR PROJECTOR	88
CONNECTOR	152	NEW LED SOLAR SECURITY LIGHT	94
NEW CONTACTOR	147	LED SOLAR STREET LIGHT	95
DECORATIVE CEILING LAMP	68	LED SPOTLIGHT	46
DESK LAMP	77	LED STREET LIGHT	97
DIMMABLE LED BLUB	04-07	LED STRIP	124-127
DIMMABLE LED CAPSULE	10	LED SURFACE BACKLIGHT	38
DIMMER	143	LED SURFACE LIGHT	35-40
DOORBELL	142	LED SUSPENSION LIGHT	50
DOWNLIGHT FITTING	20	LED TORCH	138
DRYWALL KIT	34	LED TRACK LIGHT	42
ELECTRONIC WALL LAMP	85	LED TUBE	12
EMERGENCY LED LANTERN	136	LED TUBE FIXTURE	84
ENERGY SAVING LAMP	17	LED WALL LIGHT	65
FLOOR LAMP	79	LED WATERPROOF LAMP	82
FLUORESCENT TUBE	17	LIGHT CONTROL PHOTOSENSOR	140
FRAME	34	LIGHTING TRACK	47
GARDEN LAMP	101-110-118	MERCURY LAMP	19
GLASS PENDANT LAMP	62	METAL HALIDE LAMP	19
HALOGEN LAMP	18	MINIATURE CIRCUIT BREAKER	148
LAMP HOLDER	150	MODULE LED & APPARATUS	93
NEW LED 3CCT BULB	05	MOTOR PROTECTOR	146
LED BACKLIGHT PANEL	32	NEW MOTOR PROTECTOR BOX	146
LED BATTEN LIGHT	80-85	MOULDED CASE CIRCUIT BREAKER	149
LED BULB	04-16	NAIL CABLE CLIP	151
NEW LED BULKHEAD LAMP	98	NETWORK CABLE	151
LED CANOPY LIGHT	93	PENDANT LAMP	61
LED CAPSULE	10	PORTABLE LED PROJECTOR	92
LED CEILING LAMP	69	PROJECTOR STAND	92
LED CHRISTMAS LIGHT & DRIVERS	134	NEW RECESSED LAMP	121
LED CRYSTAL SUSPENSION LIGHT	55	RECESSED MONOPOINT	47
LED DECORATIVE CEILING LAMP	66	RECHARGEABLE LED BULB	04
LED DESK LAMP	76	REFLECTOR LAMP	18
LED DOWNLIGHT	23	RESIDUAL CURRENT CIRCUIT BREAKER	149
LED DRIVER	127	RGB AMPLIFIER	131
LED EMERGENCY EXIT LAMP	139	RGB CONTROLLER	131
LED FILAMENT BULB	13	RGB RF CONTROLLER	126
LED FLOOR LAMP	79	RGB SOCKET SET	126
LED FRAME PANEL	34	SENSOR	140
LED GARDEN LAMP	108-112	SOCKET	144
LED HEADLIGHT	137	SOCKET SET	126
LED HIGH BAY LAMP	86	SPOTLIGHT	46
LED HOUSE NUMBER LIGHT	115	STARTER	151
LED INGROUND & RECESSED LAMP	121	STRING LIGHT	60
LED LANTERN	135	SURFACE LIGHT	41
LED LINEAR HIGH BAY LAMP	87	SWITCH	144
LED LINEAR SUSPENSION LIGHT	48	TERMINAL BLOCK	152
NEW LED MODULE STRIP	132	NEW THERMAL RELAY	147
LED NIGHT LAMP	100	TIMER	143
LED PANEL	33	TOUCH CONTROLLER	130
LED PHOTOCCELL BULB	05	TRACK CONNECTOR	47
LED PICTURE & MIRROR LAMP	72	TRACK LIGHT	45
LED PROJECTOR	89	TRANSFORMER	151
LED READING LAMP	75	WIRE SPRING	152
LED RECESSED SENSOR LAMP	121	WIRELESS LIGHTING CONTROLLER SWITCH	143



CONTENTS



151
ADHESIVE TAPE




99
ALUMINIUM BULKHEAD LAMP



133
ALUMINIUM PROFILE



143
CABLE TIE



70
CEILING LAMP



151
COAXIAL CABLE



152
CONNECTOR



147
CONTACTOR




68
DECORATIVE CEILING LAMP



77
DESK LAMP



04-07
DIMMABLE LED BLUB



10
DIMMABLE LED CAPSULE



143
DIMMER



142
DOORBELL



20
DOWNLIGHT FITTING



34
DRYWALL KIT



85
ELECTRONIC WALL LAMP



136
EMERGENCY LED LANTERN



17
ENERGY SAVING LAMP



79
FLOOR LAMP



17
FLUORESCENT TUBE



34
FRAME



101-110-118
GARDEN LAMP



62
GLASS PENDANT LAMP



18
HALOGEN LAMP



150
LAMP HOLDER



05
LED 3CT BULB



32
LED BACKLIGHT PANEL



80-85
LED BATTEN LIGHT




04-16
LED BULB



98
LED BULKHEAD LAMP



93
LED CANOPY LIGHT



10
LED CAPSULE



69
LED CEILING LAMP



134
LED CHRISTMAS LIGHT & DRIVERS



55
LED CRYSTAL SUSPENSION LIGHT



66
LED DECORATIVE CEILING LAMP



76
LED DESK LAMP



23
LED DOWNLIGHT




127
LED DRIVER



139
LED EMERGENCY EXIT LAMP



13
LED FILAMENT BULB



79
LED FLOOR LAMP



34
LED FRAME PANEL



108-112
LED GARDEN LAMP



137
LED HEADLIGHT



86
LED HIGH BAY LAMP



115
LED HOUSE NUMBER LIGHT



121
LED INGROUND & RECESSED LAMP



135
LED LANTERN



87
LED LINEAR HIGH BAY LAMP



48
LED LINEAR SUSPENSION LIGHT



132
LED MODULE STRIP



100
LED NIGHT LAMP



33
LED PANEL



05
LED PHOTOCELL BULB



72
LED PICTURE & MIRROR LAMP



89
LED PROJECTOR





75
LED READING LAMP

E x p e r i e n c e i n L i g h t i n g

 121 LED RECESSED SENSOR LAMP	 05 LED SENSOR BULB	 NEW FAMILY 31 NEW LED SENSOR DOWNLIGHT	 135 LED SOLAR CAMPING LIGHT	 120 LED SOLAR HOUSE NUMBER LIGHT	 119 LED SOLAR LAMP
 88 LED SOLAR PROJECTOR	 NEW FAMILY 94 NEW LED SOLAR SECURITY LIGHT	 95 NEW LED SOLAR STREET LIGHT	 46 LED SPOTLIGHT	 97 LED STREET LIGHT	 124-127 NEW LED STRIP
 38 LED SURFACE BACKLIGHT	 35-40 NEW LED SURFACE LIGHT	 50 NEW LED SUSPENSION LIGHT	 138 LED TORCH	 42 LED TRACK LIGHT	 12 LED TUBE
 65 LED WALL LIGHT	 82 LED WATERPROOF LAMP	 140 LIGHT CONTROL PHOTOSENSOR	 47 LIGHTING TRACK	 19 MERCURY LAMP	 19 METAL HALIDE LAMP
 93 MODULE LED & APPARATUS	 NEW FAMILY 146 NEW MOTOR PROTECTOR	 NEW FAMILY 146 NEW MOTOR PROTECTOR BOX	 149 MOULDED CASE CIRCUIT BREAKER	 151 NAIL CABLE CLIP	 151 NETWORK CABLE
 92 PORTABLE LED PROJECTOR	 92 PROJECTOR STAND	 NEW FAMILY 121 NEW RECESSED LAMP	 47 RECESSED MONOPOINT	 04 RECHARGEABLE LED BULB	 18 REFLECTOR LAMP
 131 RGB AMPLIFIER	 131 RGB CONTROLLER	 126 RGB RF CONTROLLER	 126 RGB SOCKET SET	 140 SENSOR	 144 SOCKET
 46 SPOTLIGHT	 151 STARTER	 60 NEW STRING LIGHT	 41 NEW SURFACE LIGHT	 144 SWITCH	 152 TERMINAL BLOCK
 143 TIMER	 130 TOUCH CONTROLLER	 47 TRACK CONNECTOR	 45 NEW TRACK LIGHT	 151 TRANSFORMER	 152 WIRE SPRING
					 143 WIRELESS LIGHTING CONTROLLER SWITCH

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



SMD LED



PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018

Power	:	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	:	500 lm	850 lm	1000 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	:	A:50 B:89	A:60 B:108	A:60 B:112	A:60 B:118	A:70 B:138	A:80 B:148



LED Bulb
LED Capsule
LED Tube




DURAMAX-12


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3,7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm



001 055 0012



Rechargeable
Emergency
LED
Bulb



Emergency Lighting
Duration: 3 Hours



12W SMD LED


D I M M A B L E

EXPERT-10

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K




001 021 0010



DIMMABLE


10W SMD LED



COMBO-10


001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)



CCT Switchable


NEW PRODUCT




DARK-10

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K





Built-in Photocell Sensor



FORCE-10

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




LED 3CCT BULB / LED PHOTOCELL BULB / LED SENSOR BULB




FOX

- 175-250V / 50-60Hz
- Average Life: 25,000 Hrs
- 6400K




SMD LED

	FOX-6	FOX-9	FOX-12	FOX-15
Power	6 W	9 W	12 W	15 W
Luminous Flux	510 lm	770 lm	1050 lm	1350 lm
Sizes (mm)	A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146




FONIX

- 175-250V / 50-60Hz
- Average Life: 25,000 Hrs
- 3000K / 4200K / 6400K



SMD LED

	FONIX-4	FONIX-6	FONIX-8
Power	4 W	6 W	8 W
Luminous Flux	290 lm	440 lm	610 lm







PROLUX-6



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K

001 075 0006



CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





CONVEX-8	CONVEX-10
001-064-0008	001-064-0010

Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm

D I M M A B L E

VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm

PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




PLUS-4	PLUS-6	PLUS-8	PLUS-10
001-002-0004	001-002-0006	001-002-0008	001-002-0010


Power	:	4 W	6 W	8 W	10 W
Luminous Flux	:	290 lm	440 lm	610 lm	800 lm

**ULTRA**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**SMD LED**


	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Sizes (mm)	: A: 37 B: 99	: A: 38 B: 108	: A: 38 B: 108

**CRAFT**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**SMD LED**


	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Sizes (mm)	: A: 37 B: 128	: A: 38 B: 141.5	: A: 38 B: 141.5

**ELITE**


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

**SMD LED**


	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power	: 6 W	: 8 W	: 10 W
Luminous Flux	: 510 lm	: 800 lm	: 1000 lm
Lamp Holder	: E14 / E27	: E14 / E27	: E14 / E27
Sizes (mm)	: A: 45 B: 78	: A: 45 B: 88	: A: 45 B: 88

**REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K


**SMD LED**

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power	: 4 W	: 6 W	: 10 W	: 12 W
Luminous Flux	: 260 lm	: 480 lm	: 920 lm	: 1150 lm
Lamp Holder	: E14	: E14	: E27	: E27
Sizes	: A: 39 B: 68	: A: 50 B: 86	: A: 63 B: 100	: A: 80 B: 115




**F**
A ↑
G**TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**SMD LED**



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	: 20 W	: 30 W	: 40 W	: 50 W	: 80 W	: 100 W
Color Temperature	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 3000K/4200K/6400K	: 6400K	: 6400K
Lamp Holder	: E27	: E27	: E27	: E27	: E27	: E27 / E40
Luminous Flux	: 2050 lm	: 3120 lm	: 4250 lm	: 5350 lm	: 8300 lm	: 10600 lm
Sizes (mm)	: A: 80 B: 140	: A: 100 B: 171	: A: 117 B: 198	: A: 137 B: 229	: A: 149 B: 258	: A: 161 B: 266 (E27) A: 161 B: 281 (E40)



LED BULB

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



**SMD LED**

	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	: 16 W	: 20 W
Luminous Flux	: 1600 lm	: 2010 lm
Sizes (mm)	: A: 95 B: 136.5	: A: 120 B: 161



**UFO-15**

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1500 lm
- 4200K

001 044 0015

**15W SMD LED****UFO PRO**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**SMD LED**


	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	: 30 W	: 50 W	: 70 W
Luminous Flux	: 3050 lm	: 5200 lm	: 7500 lm
Sizes (mm)	: A: 120 B: 110	: A: 150 B: 140	: A: 170 B: 170





PETA


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K



SMD LED


	PETA-4	PETA-6	PETA-8	PETA-10
	001-045-0004	001-045-0006	001-045-0008	001-045-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 350 lm	520 lm	730 lm	950 lm
Sizes (mm)	: A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63



DECO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K



SMD LED

	DECO-3	DECO-7
	001-023-0003	001-023-0007


Power	: 3 W	7 W
Luminous Flux	: 300 lm	630 lm
Sizes (mm)	: A: 16 B: 48	A: 16,4 B: 60



MEGA-5

001 011 0005

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K




5W SMD LED



NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



POWER LED

	NANO-2	NANO-3
	001-008-0002	001-008-0003


Power	: 1.5 W	3 W
Luminous Flux	: 105 lm	210 lm




EXA-3

001 047 0003

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K




3W COB LED





CORN


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs



SMD LED

CORN-4	CORN-7
001-062-0004	001-062-0007

Power	: 4 W	7 W
Luminous Flux	: 360 lm	760 lm
Color Temperature	: 2700K/4200K/6400K	6400K
Sizes (mm)	: A: 30 B: 95	A: 35 B: 135





MINI

001 009 0002



- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K



1.5W COB LED





GIGA-4

001 046 0004



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K



4W SMD LED




MIDI

001 012 0002



- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K




1.5W SMD LED



MICRO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



SMD LED

MICRO-2	MICRO-3
001-010-0002	001-010-0003

Power	: 1.5 W	3 W
Luminous Flux	: 90 lm	160 lm
Sizes (mm)	: A:12 B: 34	A:12 B: 36





D I M M A B L E

TERA-2

001 024 0002



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K




2W SMD LED



PIKO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



POWER LED

PIKO-2	PIKO-3
001-007-0002	001-007-0003


Power	: 1.5 W	3 W
Luminous Flux	: 105 lm	210 lm






LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



SMD LED

	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	: 9 W	: 18 W	: 24 W
Luminous Flux	: 830 lm	: 1800 lm	: 2500 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




TRIO-R

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3800 lm
- 6400K




001 065 0036



Rotatable

36W SMD LED

FOLDABLE




DAISY

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs




001 061 0040



40W SMD LED



FOLDABLE





FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K





FILAMENT LED

FILAMENT CANDLE-4	FILAMENT CANDLE-6
001-013-0004	001-013-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT LED

FILAMENT FLAME-4	FILAMENT FLAME-6
001-014-0004	001-014-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT GLOBE


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT LED

FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015

Power	:	4 W	6 W	8 W	10 W	12 W	15 W
Luminous Flux	:	450 lm	700 lm	900 lm	1200 lm	1540 lm	1750 lm
Sizes (mm)	:	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112	A: 67 B: 112	A: 70 B: 131







RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006




6W FILAMENT LED



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



FILAMENT LED

RUSTIC TUBE - 6 RUSTIC TUBE - 8

001-033-0006 001-033-0008




Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235



RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 029 0006




6W FILAMENT LED






- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)



FILAMENT LED



TOLEDO

001 049 0008



PARADOX

PARADOX-XL


001 052 0008



GINZA

GINZA-XL

001 050 0008



ORIGAMI

ORIGAMI-XL


001 053 0008



ENIGMA

ENIGMA-XL

001 051 0008



ELLIPTIC

ELLIPTIC-XL

001 054 0008





HOROZ



ELECTRIC

LED Bulb

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005



5W SMD LED



Gravity Sensor



3 Modes



Flame Mode



General Lighting Mode




Breathing Mode



PINE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 059 0002




2W LED



RAINBOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



1W SMD LED



■ 105 lm



■ 34 lm



■ 68 lm



■ 12 lm




■ 120 lm



SPECTRA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



3W SMD LED



■ 315 lm



■ 102 lm



■ 205 lm



■ 38 lm




■ 250 lm



**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5



TUBE-8



	TUBE-5	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0006	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	6 W	8 W	13 W	21 W	28 W
Luminous Flux :	280lm	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 230	L: 300	L: 530	L: 860	L: 1160



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360lm	740lm	975lm	2400lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux:	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter:	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174




HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K
Luminous Flux:	410 lm / 400 lm	550 lm / 540 lm	770 lm / 750 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146




**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs



	GU 10 CLOSED	JCDR OPEN	JCDR CLOSED	MR16 CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz	12V AC
Power	50 W	50 W	50 W	20 W / 50 W
Luminous Flux	340 lm	650 lm	550 lm	200 lm / 600 lm
Lamp Holder	GU10	GU5.3	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp




Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




Average Life: 2.000 Hrs



	JC G4	JC G4 WHITE
	12V AC	12V AC
Power	20 W	20 W
Luminous Flux	250 lm	200 lm

Average Life: 2.000 Hrs



	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	25 W / 40W	40W	40W
Luminous Flux	270 lm / 500 lm	500 lm	500 lm


**HOROZ ELECTRIC**

Reflector Lamp



R

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60	R80-60	R80-75	R80-100
	007-001-0030	007-002-0040	007-002-0060	007-003-0060	007-004-0060	007-004-0075	007-004-0100
Power	30 W	40 W	60 W	60 W	60 W	75 W	100 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm	380 lm	580 lm	900 lm
Lamp Holder	E14	E14	E14	E27	E27	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95	A: 80 B: 105	A: 80 B: 105	A: 80 B: 105



HOROZ ELECTRIC


Mercury Lamp / Metal Halide Lamp

PLANET

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 4400K



Use Without Ballast




	PLANET-125	PLANET-160	PLANET-250
	008-002-0125	008-002-0160	008-002-0250
Power	125 W	160 W	250 W
Luminous Flux	2560 lm	3200 lm	4900 lm
Lamp Holder	E27	E27	E40
Sizes (mm)	A: 70 B: 150	A: 70 B: 155	A: 90 B: 230

KRIPTON

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 5500K



Use With Ballast



	KRIPTON-125	KRIPTON-250	KRIPTON-400
	008-001-0125	008-001-0250	008-001-0400
Power	125 W	250 W	400 W
Luminous Flux	4990 lm	11025 lm	21000 lm
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 70 B: 150	A: 90 B: 230	A: 110 B: 260



HOROZ ELECTRIC


Mercury Lamp Metal Halide Lamp




NEXUS-400

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 35.000 lm
- White

009 002 0400



Use With Ballast





HOROZ ELECTRIC

Downlight Fitting

MEYAN

■ Lamp holder not included


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



HOROZ ELECTRIC

Downlight Fitting



PETUNYA

■ Lamp holder not included

BLACK

BLACK&WHITE

NEW PRODUCT



PETUNYA-1

015-028-0001

PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Power	: Max. 50 W	Max. 2x50 W	Max. 3x50 W
Cutting Size (mm)	: 93x93	93x170	93x256
Sizes (mm)	: A: 100 B: 100 C: 32	A: 100 B: 185 C: 32	A: 100 B: 270 C: 32





KARANFİL

■ Lamp holder not included

WHITE


BLACK



NEW PRODUCT




NEW PRODUCT



KARANFİL-R

015-022-0050



KARANFİL-S


015-023-0050



DOWNLIGHT FITTING


RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME


■ Frame Ring for KARANFİL-R



NEW PRODUCT



NEW PRODUCT





SARDUNYA

■ Lamp holder not included



WHITE



SARDUNYA-R
015-017-0050



SARDUNYA-S
015-018-0050

KAMELYA

■ Lamp holder not included

015 025 0050

CHROME

MAT CHROME

BLACK

WHITE

GOLDEN



LAVANTA

■ Lamp holder not included

015 024 0050

CHROME

MAT CHROME

BLACK

WHITE

GOLDEN



ORKIDE

■ 220-240V / 50-60Hz
■ Max. 50W

015 007 0050

CHROME

MAT CHROME

GOLDEN

WHITE





**LED Downlight
LED Sensor Downlight**






ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K





LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available





BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K





HOROZ

ELECTRIC

LED Downlight



MELODY

016 068 0005





MAT CHROME

WHITE

BLACK

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K



GABRIEL

016 029 0006






JESSICA

016 030 0006



WHITE


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K






NORA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE





SMD LED

	NORA-5	NORA-7	NORA-9	NORA-12
	016-053-0005	016-053-0007	016-053-0009	016-053-0012


Power	: 5 W	7 W	9 W	12 W
Luminous Flux	: 445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	: Ø70	Ø70	Ø90	Ø110
Sizes (mm)	: A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35

MAYA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



SMD LED

	MAYA-5	MAYA-7	MAYA-9	MAYA-12
	016-054-0005	016-054-0007	016-054-0009	016-054-0012




Power	: 5 W	7 W	9 W	12 W
Luminous Flux	: 445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	: Ø70	Ø70	Ø90	Ø110
Sizes (mm)	: A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35



LED DOWNLIGHT


VALENTINA

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K



SMD LED

	VALENTINA-6	VALENTINA-12	VALENTINA-24	VALENTINA-36
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	: 12 W	: 24 W	: 36 W
Luminous Flux	: 480 lm	: 960 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 50-90	: 50-105	: 50-150	: 50-205
Sizes (mm)	: A: 100 B: 25	: A: 120 B: 25	: A: 170 B: 25	: A: 220 B: 25










STELLA

STELLA/SQ

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



SMD LED

	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19

SMD LED


	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19



LUCIA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



SMD LED


	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217



VANESSA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



COB LED


	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225





ALEXA

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K/4200K/7000K




WHITE

BLACK



SMD LED

	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power :	8 W	12 W	20 W	24 W	30 W
Luminous Flux :	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm) :	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230







- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K


CLARA

MARIA




SMD LED

	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE


SMD LED

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 17 B: 190	A: 14 B: 221	A: 14,5 B: 297



SLIM/Sq


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K




WHITE

SMD LED

	SLIM/Sq-3	SLIM/Sq-6	SLIM/Sq-9	SLIM/Sq-12	SLIM/Sq-15	SLIM/Sq-18	SLIM/Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A: 16 B: 89	A: 18 B: 113,5	A: 16 B: 146	A: 18 B: 163	A: 15 B: 194,5	A: 18 B: 219,5	A: 17 B: 292





MARTHA-18



- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 6400K

016 060 0018




WHITE



BLACK



Recessed



Surface Mounting



Built-in
Photocell &
PIR Sensor

☀ All motion sensor mode

☾ Night motion sensor mode





HOROZ ELECTRIC

LED Backlight Panel


PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

WHITE

056 010 0045

BACKLIGHT PANEL






EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K

WHITE

056 009 0080

BACKLIGHT PANEL



HOROZ ELECTRIC



LED Panel Frame Drywall Kit



TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE



SMD LED


TAURUS-36

TAURUS-48

056-013-0036

056-013-0048

Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL

Inside of Product







GALAKSİ-45


056 002 0045

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K



45W SMD LED




STAR-50


056 001 0050

SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K



50W SMD LED





LED PANEL

MOON


- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



SMD LED

MOON-32	MOON-40
056-007-0032	056-007-0040




Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8



ZODIAC


- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



SMD LED

ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036



Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8









CAPELLA-48


- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE

056 012 0048



LED FRAME PANEL / FRAME / DRYWALL KIT



FRAME

WHITE


DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45



ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector





Release the bracket through push or pull the plastic button



SMD LED

	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A:220 B:49	A:280 B:49	A:327 B:49



LED Surface Light
LED Surface Backlight
Surface Light



LED SURFACE LIGHT

ANDREA/S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



Fast Connector





Release the bracket through push or pull the plastic button



SMD LED

	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A:220 B:49	A:280 B:49	A:327 B:49





SOFIA

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



BLACK



SMD LED

	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048

Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38



SOFIA/S

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE



BLACK



SMD LED

	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048

Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38





CARLA

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K



WHITE



SMD LED

CARLA-16	CARLA-24	CARLA-32
016-058-0016	016-058-0024	016-058-0032


Power	: 16 W	24 W	32 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm
Sizes (mm)	: A:120 B:45	A:175 B:45	A:225 B:45



CARLA/SQ

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K



WHITE



SMD LED

CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32
016-059-0016	016-059-0024	016-059-0032

Power	: 16 W	24 W	32 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm
Sizes (mm)	: A:125 B:45	A:172 B:45	A:225 B:45





LED SURFACE LIGHT / LED SURFACE BACKLIGHT


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE




ARINA

WHITE

BLACK



NEW
PRODUCT





SMD LED

	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28

PULSAR-48

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048



WHITE

BLACK

BACKLIGHT PANEL



Inside of Product



48W SMD LED






LED SURFACE BACKLIGHT

PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

- WHITE**
- BLACK**



BACKLIGHT PANEL



Inside of Product

SMD LED

	PROTEUS-36	PROTEUS-48
Power	36 W	48 W
Luminous Flux	3000 lm	4400 lm
Sizes (mm)	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38






SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

WHITE


BLACK

SANDRA-XL



SMD LED

	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162




SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

WHITE


BLACK

SANDRA-SQ/XL



SMD LED

	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200






MIAMI

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

WHITE

BLACK

015 033 0001



SURFACE LIGHT

FREZYA


- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

WHITE


BLACK



FREZYA-R
015-026-0050



FREZYA-S
015-027-0050






HOROZ ELECTRIC

LED Track Light

ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



WHITE


BLACK



SMD LED

ARIZONA-5	ARIZONA-10
018-027-0005	018-027-0010

Power	: 5 W	10 W
Luminous Flux	: 380 lm	730 lm
Beam Angle	: 52°	60°




HOROZ ELECTRIC

LED Track Light




VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK



COB LED

VARNA-20	VARNA-30	VARNA-36
018-026-0020	018-026-0030	018-026-0036

Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180






Z O O M A B L E

MONACO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°



WHITE

BLACK



COB LED


MONACO-15

MONACO-30

018-019-0015

018-019-0030


Power	:	15 W	30 W
Luminous Flux	:	1125 lm	2250 lm
Sizes (mm)	:	A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



LED TRACK LIGHT

LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK

COB LED

LYON-10

LYON-18


LYON-24

018-020-0010

018-020-0018

018-020-0024

Power	:	10 W	18 W	24 W
Luminous Flux	:	650 lm	1170 lm	1560 lm
Sizes (mm)	:	A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162





BERN



018 017 0030



WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°



LED TRACK LIGHT

DUBLIN



018 018 0035



WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°





HOROZ ELECTRIC

Track Light

TORONTO

115 004 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



HOROZ ELECTRIC

Track Light



TRACK LIGHT

DAKAR

115 001 0001



RABAT

115 002 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





HOROZ ELECTRIC

Spotlight / LED Spotlight

LOZAN


116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



TOKYO



017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



HOROZ ELECTRIC

Spotlight LED Spotlight





HOROZ ELECTRIC

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001


1 m.

097 001 0002

2 m.

097 001 0003

3 m.



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001



L Connector

096-002-0002



HOROZ ELECTRIC

Lighting Track Track Connector Recessed Monopoint




RECESSED MONOPOINT

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125



098 001 0001

LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT




HOROZ ELECTRIC

LED Linear Suspension Light

FORTUNE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available



BLACK

WHITE



POWER LED

COB LED


SMD LED

FLAMENT LED



SMD LED

	FORTUNE3-40	FORTUNE5-40	FORTUNE10-80
	019-050-0040	019-051-0040	019-052-0080
Power	40 W	40 W	80 W
Luminous Flux	4200 lm	4200 lm	8000 lm
Width (mm)	30 mm	50 mm	100 mm



LED LINEAR SUSPENSION LIGHT



HOROZ ELECTRIC


LED Linear Suspension Light
 LED Suspension Light
 LED Crystal Suspension Light





INNOVA

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available



BLACK

WHITE




NEW
PRODUCT

SMD
LED

INNOVA3-40	INNOVA5-40	INNOVA10-80
019-033-0040	019-034-0040	019-049-0080

Power	: 40 W	40 W	80 W
Luminous Flux	: 3200 lm	3200 lm	6500 lm
Width (mm)	: 30 mm	50 mm	100 mm



LED LINEAR SUSPENSION LIGHT







CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K





CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




PHOENIX

019 020 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




ELECTRA

019 021 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K



LED SUSPENSION LIGHT

CONCORDE-24




019 053 0024



NEW PRODUCT

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K



CONCORDE-36





019 053 0036



NEW PRODUCT

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K



LED SUSPENSION LIGHT

LIBERTY

019 054 0030





NEW PRODUCT

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



CORNELIA

019 055 0060






NEW PRODUCT

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K







OLYMPIC

BLACK

019 035 0045



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K





GENESIS

CHROME

019 036 0100



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



LED SUSPENSION LIGHT




CRATER

CHROME

019 037 0020



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR


CHROME

BLACK

019 056 0050



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K







ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT



AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K






GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K







PRIME-45

019 029 0045

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



LED SUSPENSION LIGHT



OPTIMA-12

019 030 0012

OPTIMA-24



019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K






AVATAR

019 039 0033

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

CHROME




LED CRYSTAL SUSPENSION LIGHT

AVIATOR


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056
Power	: 24 W	: 40 W	: 56 W
Luminous Flux	: 1680 lm	: 2800 lm	: 3920 lm





LED CRYSTAL SUSPENSION LIGHT

ETERNITY

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	ETERNITY-30	ETERNITY-40
Power	30 W	40 W
Luminous Flux	2100 lm	2800 lm
Sizes (mm)	A: 800 B: 150 C: 400	A: 800 B: 200 C: 600

QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	QUASAR-42	QUASAR-90
Power	42 W	90 W
Luminous Flux	2940 lm	6300 lm
Sizes (mm)	A: 1000 B: 200 C: 400	A: 1000 B: 250 C: 600






LED CRYSTAL SUSPENSION LIGHT

NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	NIRVANA-24	NIRVANA-32	NIRVANA-40
Power	24 W	32 W	40 W
Luminous Flux	1680 lm	2240 lm	2800 lm
Sizes (mm)	A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400

SMD LED



	PANDORA-72	PANDORA-96
Power	72 W	96 W
Luminous Flux	5040 lm	6720 lm

NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K






POLARIS

019 024 0046



CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K




TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



TORNADO-30	TORNADO-40
019-025-0030	019-025-0040


Power	: 30 W	40 W
Luminous Flux	: 2100 lm	2800 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600






VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



SMD LED

VOYAGER-12	VOYAGER-18	VOYAGER-24
019-041-0012	019-041-0018	019-041-0024


Power	: 12 W	18 W	24 W
Luminous Flux	: 840 lm	1260 lm	1680 lm
Length (mm)	: L : 410	L : 565	L : 815



LED CRYSTAL SUSPENSION LIGHT

ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



SMD LED

ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
019-040-0019	019-040-0025	019-040-0032	019-040-0038

Power	: 19 W	25 W	32 W	38 W
Luminous Flux	: 1330 lm	1750 lm	2240 lm	2660 lm
Diameter (mm)	: Ø: 300	Ø: 400	Ø: 500	Ø: 600





HOROZ ELECTRIC


String Light

CARNAVAL-ROLL

022 003 0001

CUTTABLE

- 220V-
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included




CARNAVAL-F10

022 002 0010

LINKABLE

- 220V-
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0,94mm²
- Total 10 Meters
- Bulb not included



STRING LIGHT



HOROZ ELECTRIC

String Light



CARNAVAL


LINKABLE

- 220V-
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



CARNAVAL-1	CARNAVAL-2
022-001-0001	022-001-0002

Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²





HOROZ ELECTRIC

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 003 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

■ 250V~/4A

■ Max. 60W

100 mm



1000 mm



HOROZ ELECTRIC

Pendant Lamp Glass Pendant Lamp



VOLTA

021 001 0001



90 mm



1000 mm

BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~/4A

■ Max. 60W



NEWTON

021 010 0001




320 mm

1385 mm

KEPLER

021 011 0001



240 mm

1285 mm

MAXWELL

021 012 0001




320 mm

1500 mm

NOBEL

021 013 0001



320 mm

1385 mm

BLACK

■ 250V~/4A

■ Max. 60W

FOLDABLE CASE



PENDANT LAMP



GLASS PENDANT LAMP / PENDANT LAMP

DREAM

021 020 0001



SHARP

021 019 0001



RONDO


021 018 0001



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



GLOBAL

021 021 0001



GLOBAL-X


021 021 0002



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass




AMPER

021 022 0001

COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant





ELEMENT-1

021 015 0001



AMBER



TITANIUM

ELEMENT-2

021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass



SPARK-1

021 016 0001



AMBER



TITANIUM

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass





LASER

SPECTRUM

RADIAN

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 004 0001 021 004 0002





021 005 0001 021 005 0002



021 007 0001



021 007 0002



QUANTUM



COPPER

CHROME



- 250V~/4A
- Max. 60W
- Glass



021 006 0001



021 006 0002



METEOR

COPPER


CHROME

- 250V~/4A
- Max. 60W
- Glass



021 014 0001

021 014 0002



GLASS PENDANT LAMP



HOROZ ELECTRIC

LED Wall Light

SISAM

029 006 0008




TRUVA

029 007 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SISAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Wall Light




ERDEK


029 001 0005

RED

- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




275 mm



RODOS

WHITE


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



SMD LED

	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012


Power :	3 W	6 W	12 W
Luminous Flux :	170 lm	340 lm	950 lm
Sizes (mm) :	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



BELÉN

WHITE


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



SMD LED

	BELÉN-6	BELÉN-12	BELÉN-18
	029-003-0006	029-003-0012	029-003-0018

Power :	6 W	12 W	18 W
Luminous Flux :	340 lm	950 lm	1400 lm
Sizes (mm) :	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95






HOROZ ELECTRIC


LED Decorative Ceiling Lamp

ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



SMD LED

ELECTRON-15	ELECTRON-24	ELECTRON-36
027-010-0015	027-010-0024	027-010-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 911lm	1485 lm	2228 lm
Sizes (mm)	: A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55




HOROZ ELECTRIC

LED Decorative Ceiling Lamp




EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



SMD LED

EPSILON-15	EPSILON-24	EPSILON-36
027-004-0015	027-004-0024	027-004-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60





SHARK-24

027 001 0024

WHITE

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K





PIXEL



RADIUS



WHITE

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

SMD LED

PIXEL-36

PIXEL-48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

SMD LED

RADIUS-36

RADIUS-48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

ETERNAL



DISCOVERY



SMD LED

ETERNAL-36

ETERNAL-48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

SMD LED


DISCOVERY-36

DISCOVERY-48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



GHOST



WHITE

BLUE

PINK

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

SMD LED

PHANTOM-36

PHANTOM-48

027-002-0036

027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65

SMD LED


GHOST-36

GHOST-48

027-003-0036


027-003-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60



**SARAY**

- 220-240V / 50-60Hz
- Diffuser: Glass


MAT CHROME

SARAY-1	SARAY-2	SARAY-3
026-005-0001	026-005-0002	026-005-0003

Power	: Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	: A: 70 B: 180	A: 73 B: 235	A: 75 B: 285

**Decorative Ceiling Lamp****LICE**

- 220-240V / 50-60Hz
- Diffuser: Glass


MAT CHROME

LICE-1	LICE-2
026-004-0001	026-004-0002

Power	: Max. 60 W	Max. 2X60 W
Sizes (mm)	: A: 35 B: 330	A: 35 B: 420

ZARA

- 220-240V / 50-60Hz
- Diffuser: Glass


MAT CHROME

ZARA-1	ZARA-2	ZARA-3	ZARA-4
026-003-0001	026-003-0002	026-003-0003	026-003-0004

Power	: Max. 60 W	Max. 2X60 W	Max. 3X60 W	Max. 60 W
Sizes (mm)	: A: 90 B: 230	A: 100 B: 285	A: 130 B: 370	A: 265 B: 110 C: 150

ILGAZ

- 220-240V / 50-60Hz
- Diffuser: Glass


CHROME + MAT CHROME

ILGAZ-1	ILGAZ-2	ILGAZ-3	ILGAZ-4
026-001-0001	026-001-0002	026-001-0003	026-001-0004

Power	: Max. 60 W	Max. 60 W	Max. 2x60W	Max. 60 W
Sizes (mm)	: A: 90 B: 245	A: 90 B: 290	A: 105 B: 350	A: 310 B: 110 C: 160

KONAK

- 220-240V / 50-60Hz
- Diffuser: Glass

CHROME + MAT CHROME

KONAK-1	KONAK-2	KONAK-3	KONAK-4
026-002-0001	026-002-0002	026-002-0003	026-002-0004

Power	: Max. 60 W	Max. 60 W	Max. 2X60W	Max. 60 W
Sizes (mm)	: A: 90 B: 220	A: 95 B: 260	A: 120 B: 330	A: 300 B: 110 C: 140



HOROZ ELECTRIC

LED Ceiling Lamp



HOROZ ELECTRIC

**LED Ceiling Lamp
Ceiling Lamp**



LED CEILING LAMP

LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4




■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm





CEILING LAMP

KEMER

220-240V / 50-60Hz

CHROME



KEMER-1



KEMER-2



KEMER-3




KEMER-4



KEMER-5

KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	---------	-----------	-----------	-----------	-----------





BODRUM

■ 220-240V / 50-60Hz

MAT CHROME



■ BODRUM-1


■ BODRUM-2

■ BODRUM-3

■ BODRUM-4

BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
--------------	---	---------	-----------	-----------	-----------



CEILING LAMP

MANAVGAT

■ 220-240V / 50-60Hz

CHROME



■ MANAVGAT-1

■ MANAVGAT-2


■ MANAVGAT-3

■ MANAVGAT-4

■ MANAVGAT-5

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	---	---------	-----------	-----------	-----------	-----------





HOROZ ELECTRIC



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



HOROZ ELECTRIC

LED Picture & Mirror Lamp LED Reading Lamp





SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABIL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K






LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK



**NEW
PRODUCT**



**SMD
LED**


LEYLEK-8

LEYLEK-12

040-016-0008

040-016-0012

Power	: 8 W	12 W
Luminous Flux	: 720 lm	850 lm
Sizes (mm)	: A: 400 B: 120 C: 45	A: 530 B: 120 C: 40




LED PICTURE & MIRROR LAMP

KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



**SMD
LED**


KANARYA-8

KANARYA-12

040-012-0008

040-012-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME



SMD LED

ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	A: 550 B: 52 C: 185



ON-OFF


LED PICTURE & MIRROR LAMP



FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME



SMD LED

FLAMINGO-4	FLAMINGO-6
040-001-0004	040-001-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	A: 505 B: 52 C: 185




ON-OFF



ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME



SMD LED

ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108





KUĞU

040 006 0003

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K





TURNA

040 007 0003

SILVER



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



COB LED

FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	: 3 W	6 W	9 W
Luminous Flux	: 214 lm	428 lm	640 lm





EBRU



049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



With Clips



TOUCH

İREM



049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH





BUKET

049 005 0003

BLACK

WHITE

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

DİLARA



049 004 0003

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs




ON-OFF




BERNA

049 006 0003





- BLACK
- WHITE
- BLUE
- RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs




BILGE

049 008 0003



- BLACK
- WHITE
- BLUE
- RED
- GREEN


- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BUDDY

048 001 0015

- PINK
- BLUE
- YELLOW




OSCAR

048 002 0015

PINK



- 220-240V/50-60Hz
- Max. 15W
- 500 lm
- 4500K



Bulb included



KITTY

048 004 0011


- BLUE
- GREEN




FLYER

048 008 0011

- PINK
- BLUE
- YELLOW



- 220-240V/50-60Hz
- Max. 11W
- 350 lm
- 4500K



Bulb included





SİMGE


048 014 0060



GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W



RANA

048 013 0060




BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



BİHTER

048 009 0060




BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W






HOROZ ELECTRIC

LED Floor Lamp / Floor Lamp

TUNA

046 001 0003



ARAS

046 002 0003

DİCLE

046 003 0003

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Floor Lamp Floor Lamp



LED FLOOR LAMP / FLOOR LAMP

MERİÇ

■ 220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother) & E14 (Baby)	E27 (Mother) & E14 (Baby)
Color	: Blue / White / Green Orange	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500




DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K

LINKABLE

052 007 0120

NEW
PRODUCT



30W SMD LED




HAVZA-60

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K

LINKABLE

052 008 0120

NEW
PRODUCT



60W SMD LED




LED Batten Light LED Waterproof Lamp LED Tube Fixture Electronic Wall Lamp



GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




NEW
PRODUCT

SMD LED

	GAMA-60	GAMA-80
	052-006-0120	052-006-0120


Power	: 60 W	80 W
Luminous Flux	: 4500 lm	6000 lm
Width (mm)	: A: 1200 B: 62 C: 25	A: 1200 B: 75 C: 27





TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



SMD LED

TETRA-18	TETRA-36
052-003-0060	052-003-0120


Power	:	18 W	36 W
Luminous Flux	:	1135 lm	2269 lm
Length (mm)	:	L: 600	L: 1200



LED BATTEN LIGHT

TETRA/SQ


- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



SMD LED

TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
052-005-0060	052-005-0120	052-005-0150


Power	:	27 W	54 W	72 W
Luminous Flux	:	1890 lm	3780 lm	5670 lm
Length (mm)	:	L: 600	L: 1200	L: 1500





IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED


IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED


NEHİR-18	NEHİR-36	NEHİR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



OKYANUS


- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED

OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542






LED WATERPROOF LAMP

MEDUSA


- 180-260V/50-60Hz
- Average Life: 40.000 Hrs
- 6400K



SMD LED

	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058

Power	: 18 W	36 W	58 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 600	L: 1200	L: 1500






LED TUBE FIXTURE

PROMASTER

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included

057 003 2120



PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120

Power	:	Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	:	T8	2xT8	T8	2xT8
Sizes (mm)	:	A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65






SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


LINKABLE



SMD LED

SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
052-001-0030	052-001-0060	052-001-0090	052-001-0120


Power	: 4 W	7 W	10 W	14 W
Luminous Flux	: 254 lm	552 lm	846 lm	1100 lm
Length (mm)	: L: 282	L: 546	L: 856	L: 1156



OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


LINKABLE



SMD LED

OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
052-002-0030	052-002-0060	052-002-0090	052-002-0120

Power	: 6 W	9 W	12 W	16 W
Luminous Flux	: 273 lm	538 lm	898 lm	1136 lm
Length (mm)	: L: 285	L: 535	L: 855	L: 1155



ALFA

- 220-240V / 50-60Hz



ALFA-6	ALFA-8	ALFA-28
053-001-0006	053-001-0008	053-001-0028

Power	: 6 W	8 W	28 W
Length (mm)	: L: 267	L: 343	L: 1200





TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
061-001-0060	061-001-2060	061-001-0120	061-001-2120


Power	: Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Length (mm)	: L: 616	L: 616	L: 1226	L: 1226





HOROZ ELECTRIC

LED High Bay Lamp



LED HIGH BAY LAMP





HOROZ ELECTRIC

LED High Bay Lamp
LED Linear High Bay Lamp




ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



SMD LED


	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0100	063-003-0150	063-003-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 10000 lm	: 15000 lm	: 20000 lm
Sizes (mm)	: A: 270 B: 110	: A: 320 B: 125	: A: 370 B: 145





ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable




Hangable



SMD LED

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000






LED SOLAR PROJECTOR



LED Solar Projector LED Projector Portable LED Projector Projector Stand Module LED & Apparatus



TIGER



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket


BLACK



SMD LED

	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100

Power :	25 W	40 W	60 W	100 W
Luminous Flux :	465 lm	840 lm	1040 lm	1500 lm
Battery :	1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel :	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/20W	Polysilicon, 6V/35W
Projector Sizes (mm) :	A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm) :	D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17







LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs

BLACK



SMD LED

	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	30 W	50 W	100 W	150 W	200 W	300 W	400 W
Luminous Flux	: 1785 lm	2685 lm	4500 lm	8500 lm	13200 lm	19000 lm	25500 lm	34000 lm
Color Temperature	: 2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	6400K	6400K
Sizes (mm)	: A:200 B:157 C:50	A:215 B:171 C:45	A:270 B:210 C:55	A:305 B:253 C:75	A:380 B:310 C:75	A:400 B:350 C:90	A:420 B:380 C:90	A:480 B:430 C:105







PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK



SMD LED


	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3310 lm	: 5650 lm	: 11550 lm	: 23250 lm	: 35000 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A: 94 B: 110 C: 33	: A: 109 B: 129 C: 37.5	: A: 128 B: 150 C: 38	: A: 153 B: 182 C: 38.5	: A: 215 B: 268 C: 41	: A: 312 B: 395 C: 95	: A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




BLACK



WITH PIR SENSOR

SMD LED


	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3310 lm	: 5650 lm	: 11550 lm
Sizes (mm)	: A: 134 B: 110 C: 33	: A: 149 B: 129 mm C: 37.5	: A: 168 B: 150 C: 38.5	: A: 193 B: 182 C: 38.5	: A: 260 B: 274 C: 41





ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs




NEW PRODUCT



BLACK

WHITE



SMD LED


	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200

Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5750 lm	: 11700 lm	: 23550 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A:75.5 B:93 C:28.5	: A:105 B:118 C:29	: A:126 B:136 C:29.5	: A:161.5 B:174 C:32	: A:233.5 B:245 C:37	: A:325.5 B:343 C:41

LED PROJECTOR

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



NEW PRODUCT




WITH PIR SENSOR



BLACK

WHITE



SMD LED

	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050

Power	: 10 W	: 20 W	: 30 W	: 50 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5750 lm
Sizes (mm)	: A:135 B:93 C:40	: A:161 B:118 C:40	: A:176 B:135 C:40	: A:210.5 B:174 C:40




HOROZ ELECTRIC

Portable LED Projector / Projector Stand


PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable



SMD LED

	PROPORT-20	PROPORT-45
Power	20 W	45 W
Luminous Flux	2100 lm	4900 lm
Sizes (mm)	A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



PORTABLE LED PROJECTOR / PROJECTOR STAND




HOROZ ELECTRIC

Projector Stand




PORTABLE

- 107 001 0003
- PORTABLE STAND
- 1.5 meter H05VV-F cable




TRIPOD SINGLE

- 107 001 0001
- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE


- 107 001 0002
- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



KAPLAN-45

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 5200 lm
- 4200K

068 007 0045



BLACK



KAPLAN-45W


068 007 0001



Apparatus for Wall Lamp

KAPLAN-45S

068 007 0002



Apparatus for Street Lamp

KAPLAN-45C

068 007 0003



Apparatus for Connection

Projector Not Included

MODULE LED & APPARATUS




LED CANOPY LIGHT

FALCON

RECESSED


069 001 0110



EAGLE

SURFACE

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs






HOROZ ELECTRIC

LED Solar Security Light

ARMOR-8


072 001 0008



- 3,7V DC
- 600 lm
- 6400K
- 2x1,5Ah Li-ion Battery
- Continuous Working Time: 1,5 Hrs
- Charging Time: 6-8 Hrs
- 5V 1,5W 300mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK



HOROZ ELECTRIC

LED Solar Security Light



LED SOLAR SECURITY LIGHT





HOROZ ELECTRIC


LED Solar Street Light

GRAND

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m




BLACK



SMD LED

	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300

Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 826 lm	: 984 lm	: 1198 lm	: 1567 lm
Battery	: 1x3.2V,5AH Lithium Iron Phosphate	: 1x3.2V,5AH Lithium Iron Phosphate	: 2x3.2V,5AH Lithium Iron Phosphate	: 3x3.2V,5AH Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V/6W	: Polycrystalline Silicon 6V/9W	: Polycrystalline Silicon 6V/20W	: Polycrystalline Silicon 6V/25W
Installation Height	: 3 Meters	: 3,5 Meters	: 4 Meters	: 5 Meters
Irradiation Area	: 20m ²	: 30m ²	: 50m ²	: 70m ²
Street Lamp Sizes (mm)	: A: 213 B: 312 C: 63	: A: 207 B: 405 C: 65	: A: 252 B: 640 C: 80	: A: 252 B: 835 C: 80



HOROZ ELECTRIC

LED Solar Street Light LED Street Light




LED SOLAR STREET LIGHT





LAGUNA

BLACK




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket



SMD LED

	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200

Power	: 50 W	100 W	200 W
Luminous Flux	: 950 lm	1300 lm	2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	: 3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17



LED SOLAR STREET LIGHT







ORLANDO

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK



SMD LED

ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200

Power	: 20 W	30 W	50 W	100 W	150 W	200 W
Luminous Flux	: 1726 lm	2829 lm	4953 lm	8923 lm	15061 lm	17594 lm
Sizes (mm)	: A:40 B:55 C:315 D:105	A:40 B:55 C:355 D:125	A:40 B:55 C:405 D:165	A:60 B:75 C:620 D:220	A:60 B:75 C:690 D:250	A:60 B:85 C:740 D:275



LED STREET LIGHT




HOROZ ELECTRIC

LED Bulkhead Lamp

HECTOR-10


071 012 0010



NEW PRODUCT


WHITE

- 160-265V / 50-60Hz
- 4200K
- 800 lm
- Average Life: 30.000 Hrs



VESPER-15



071 013 0015



NEW PRODUCT

WHITE

- 160-265V / 50-60Hz
- 4200K
- 1100 lm
- Average Life: 30.000 Hrs




HOROZ ELECTRIC

LED Bulkhead Lamp



BOLKAR-20




071 014 0020



NEW PRODUCT

WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP

WHITE**BLACK**

■ 220-240V / 50-60Hz

NEMRUT**AYDER****TOROS****KAÇKAR****NEMRUT****AYDER****TOROS****KAÇKAR**


070-001-0060

070-012-0100

070-002-0060

070-013-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A:210 B:80 C:105	A:275 B:115 C:155	A:210 B:85 C:105	A:275 B:120 C:155

**WHITE****BLACK**

■ 220-240V / 50-60Hz

ZİGANA**MUNZUR****ARARAT****ERCİYES****ZİGANA****MUNZUR****ARARAT****ERCİYES**


070-005-0060

070-014-0100

070-006-0060

070-015-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A:180 B:85 C:180	A:240 B:110 C:140	A:170 B:80 C:170	A:240 B:115 C:240





LED Night Lamp




SIMPSON

085 001 0006



WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA



REX



BUGS








MAX



DUFFY



	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm






Garden Lamp LED Garden Lamp LED House Number Light



NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



	NAR-1	NAR-2	NAR-3	NAR-4	NAR-5
	075-016-0001	075-016-0002	075-016-0003	075-016-0004	075-016-0005
Power :	Max.60 W	Max.60 W	Max.60 W	Max.60 W	Max.60 W
Color :	Black/White	Black/White	Black/White	Black	Black
Sizes :	A: 170 B: 240 C: 210	A: 170 B: 800 C: 260	A: 170 B: 170 C: 300	A: 170 B: 170 C: 580	A: 170 B: 170 C: 840



GARDEN LAMP



	NAR-6	NAR-7
	075-016-0006	075-016-0007
Power :	Max. 2x60 W	Max. 3x60 W
Color :	Black	Black




GARDEN LAMP

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK




	PALMERA/S1	PALMERA/S2	PALMERA/S3	PALMERA/S4
	075-017-0001	075-017-0002	075-017-0003	075-017-0004
Sizes (mm)	: A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800



PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK



PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
075-018-0001	075-018-0002	075-018-0003	075-018-0004

Sizes (mm)	:	A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800
------------	---	--------------	--------------	--------------	--------------




GARDEN LAMP

KAVAK/SQ

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

BLACK



	KAVAK/SQ-1	KAVAK/SQ-2	KAVAK/SQ-3	KAVAK/SQ-4	KAVAK/SQ-5
	075-015-0001	075-015-0002	075-015-0003	075-015-0004	075-015-0005
Sizes (mm)	A: 90 B: 300	A: 90 B: 200 C: 150	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800






KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W




	KAVAK-1	KAVAK-2	KAVAK-3	KAVAK-4	KAVAK-5
	075-014-0001	075-014-0002	075-014-0003	075-014-0004	075-014-0005
Sizes (mm)	: A: 305 B: 89	A: 208 B: 89 C: 148	A: 300 B: 89 C: 130	A: 500 B: 89 C: 110	A: 800 B: 89 C: 110





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



LADİN-1

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120

A: 350 B: 120 C: 165


A: 500 B: 120

A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



KAYIN-1

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150




GARDEN LAMP



PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W



PALMIYE-1

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230


A: 500 B: 150

A: 800 B: 150



DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

: A:405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110


A: 800 B: 76 C: 110





DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



SMD LED

	DYNAMIC-1S	DYNAMIC-1	DYNAMIC-2	DYNAMIC-3	DYNAMIC-4
	076-058-1001	076-058-0001	076-058-0002	076-058-0003	076-058-0004
Sizes (mm) :	A: 110 B: 300	A: 110 B: 300	A: 300 B: 300	A: 500 B: 300	A: 800 B: 300




LED GARDEN LAMP





PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K



BLACK



SMD LED

PRESTIGE-1S

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)

A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500

A: 109 B: 800


LED GARDEN LAMP






BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K



MAT CHROME



SMD LED

BAMBU-1

076-016-0001

BAMBU-2

076-016-0002

BAMBU-3

076-016-0003

BAMBU-4

076-016-0004

BAMBU-5

076-016-0005

Sizes (mm)

: A: 252.2 B: 132

A: 183 B: 148.5 C: 132

A: 300 B: 132 C: 98

A: 500 B: 132 C: 98

A: 800 B: 132 C: 98



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



MANGO-1


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003



MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass

NEW PRODUCT



NEW PRODUCT



MANOLYA-1

075-008-0001

MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power

: Max.35W

Max.2x35W

Max.2x60W

Lamp Holder

: GU10

GU10

E27

Body

: Stainless Steel

Stainless Steel

Aluminium

Color

: Mat Chrome / Black

Mat Chrome / Black

Black

Lighting Direction

: Down

Up&Down


Up&Down

Sizes (mm)

: A: 116 B: 93 C: 85

A: 160 B: 93 C: 85

A: 300 B: 173 C: 108





LED GARDEN LAMP / GARDEN LAMP



REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK



REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004



Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Up	Up&Down	Up	Up&Down



GARDEN LAMP

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Down	Up&Down	Down	Up&Down






TWIST


- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



SMD POWER LED LED

	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	: 5 W	: 7 W	: 12 W	: 15 W
Luminous Flux	: 350 lm	: 442 lm	: 821lm	: 987 lm
Lighting Direction	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front
Width (mm)	: W: 85	: W: 119	: W: 170	: W: 220



LED GARDEN LAMP






PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs


NEW PRODUCT

BLACK



POWER LED

	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




LED GARDEN LAMP

PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs


NEW PRODUCT

BLACK



POWER LED

	PROTON-2	PROTON-4	PROTON-6	PROTON-8
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49






HOROZ ELECTRIC

LED Garden Lamp


SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015



15W SMD LED



BLACK




LED GARDEN LAMP

ANDIZ


BLACK

WHITE

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs



9W SMD LED




SEKOYA

BLACK


WHITE

076 038 0004



- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs

ADJUSTABLE BEAM ANGLE




4W SMD LED






ARENA

076 033 0010



LED HOUSE NUMBER

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs





10W SMD LED



SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

BLACK



SMD LED

	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux :	1000 lm	700 lm	900 lm	650 lm





KUKA-5



- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs

076 031 0005



5W SMD LED







LED GARDEN LAMP

IMPERIAL


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



SMD LED

	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power	: 7 W	: 2x7 W
Luminous Flux	: 630 lm	: 1260 lm
Lighting Direction	: Up	: Up&Down





LED GARDEN LAMP


MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs


BLACK

BLACK&GOLDEN

076 052 0010



10W COB LED




OPERA-10


- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010



10W SMD LED





SAFARI


075 020 0001



NEW PRODUCT

BLACK

- 220-240V / 50-60Hz
- Max. 2x50W
- Bulb not included
- Aluminium Body



IP65



SERVI


076 009 0012




BLACK

WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs




IP65



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVI

SALKIM

ZAKKUM

MEŞE






TAFLAN

ARDIÇ



SMD LED

	SELVI	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down






HOROZ ELECTRIC

LED Solar Lamp

SOLARIS




- 3.7V 2.6Ah Li-ion Battery
- 4000K
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs



SMD LED

SOLARIS-1	SOLARIS-2
078-014-0001	078-014-0002

Power	: 2 W	2 W
Luminous Flux	: 220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)



LED Solar Lamp




LED SOLAR LAMP

SIRIUS




- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs



SMD LED

SIRIUS-1	SIRIUS-2
078-012-0001	078-012-0002

Power	: 1 W	2 W
Luminous Flux	: 140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	: 3.7V 1200 mAh Li-ion	3.7V 2200 mAh Li-ion
Back Light	: Yes (Blue)	No




WITH PIR SENSOR




OMNIA

078 013 0003



- Li-ION Battery 3.7V
1800 mAh
- 4000K
- 4 lm
- Solar Charging Time:
4-6 Hours
- Average Life: 50.000 Hrs
- USB Charging Available
- Number and letter
stickers included
(3x1...9, 2x0, 1xA,B,C,D)




LED HOUSE NUMBER

0.1W SMD LED



- 6400K
- 1.5 lm
- Average Life:
100.000 Hrs



VENÜS

MARS

NEPTUN

PLUTON







HALLEY

CRYSTAL



LED

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF:	Yes	Yes	No	No	No	No



0.06W

IP44






HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp

DIAMOND

079 026 0002




WHITE

BLACK

GOLD

SILVER

- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp




AWAX

079 030 0001



MAT CHROME

- 220-240V / 50-60Hz
- Max. 50W



ZÜMRÜT

079 001 0003



YAKUT

079 002 0003




WHITE

MAT CHROME

BLACK

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs




LED RECESSED SENSOR LAMP / RECESSED LAMP / LED INGROUND & RECESSED LAMP



AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



NEW PRODUCT



POWER LED

	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1 W	3 W	6 W	9 W	18 W	24 W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Sizes (mm)	A:65 B:78	A:80 B:95	A:120 B:95	A:150 B:95	A:180 B:95	A:200 B:95

LED INGROUND & RECESSED LAMP

ELMAS

079 005 0002


MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



1.5W LED



INCI

079 004 0002

SAFİR

079 003 0002

MAT CHROME

- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs



6400K


BLUE



6400K


BLUE

2W SMD LED






- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA****SMD LED**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 3 W	: 1.5 W	: 3 W	: 1.5 W	: 3 W	: 1.5 W
Luminous Flux	: 147 lm	: 106 lm	: 147 lm	: 106 lm	: 147 lm	: 106 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110




- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR****SMD LED**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 3 W	: 1.5 W	: 3 W	: 1.5 W	: 3 W	: 1.5 W
Luminous Flux	: 147 lm	: 90 lm	: 147 lm	: 90 lm	: 90 lm	: 90 lm
Sizes (mm)	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA****SMD LED**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	: 1.8 W	: 2.7 W	: 1.5 W	: 1.8 W	: 2.7 W
Luminous Flux	: 90 lm	: 105 lm	: 160 lm	: 90 lm	: 105 lm	: 160 lm
Width (mm)	: W: 95	: W: 140	: W: 185	: W: 95	: W: 140	: W: 185





LED Strip / RGB RF Controller / Socket Set
 RGB Socket Set / LED Driver
 Touch Controller / RGB Controller / RGB Amplifier
 LED Module Strip / Aluminium Profile




WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs





220-240V




NEOLED/SLIM



NEOLED



NEOLED/RGB



SMD LED

	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	5,8 W/m	6 W/m	9 W/m
Luminous Flux :	520 lm/m	540 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Thickness :	15 mm	15 mm	20 mm



LED STRIP

WATERPROOF





- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



220-240V



VOLGA		VOLGA/ RGB		COLORADO		COLORADO/ RGB		GANJ		GANJ / RGB	
-------	--	------------	--	----------	--	---------------	--	------	--	------------	--



SMD LED

	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3.5 W/m	8 W/m	3.9 W/m	8 W/m	6.3 W/m	8 W/m
Luminous Flux :	240 lm/m	-	290 lm/m	-	576 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm



RGB RF CONTROLLER

220V / 50-60Hz




VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



SOCKET SET

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED/SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm




COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m

COB LED



NEW PRODUCT

24V DC



Can be cut each 5 centimeters

SWAN-24



081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K

SMD LED



NEW PRODUCT


CANTON-24



081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K

SMD LED



NEW PRODUCT

24V DC

Can be cut each 2.5 centimeters

24V DC



Can be cut each 5 centimeters


24V DC



VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V

NEW PRODUCT



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	60 W	100 W	150 W	200 W	300 W
Output Current	2,5A	4,1A	6,25A	8,3A	12,5A
COLUMBIA-24 LED Strip	5m	9m	14m	20m	28m
CANTON-24/SWAN-24 LED Strip	3m	5m	8m	11m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188





REN



THAMES



REN/RGB

THAMES/RGB

WATERPROOF




- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC



SMD LED

	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.44W LED Module Strip :	12	16	30	40	70	100	160
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45





NIL



AMAZON



NIL/RGB

AMAZON/RGB



- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC




SMD LED

	NIL	NIL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176–264V / 50–60Hz
- Output Voltage: DC 12V

SLIM CASE



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0,8A	3A	5A	8,5A	12A	17A	20,8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1,5m	4m	6,5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225


TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288

Color	: Single	16 million
Output Power	: 144-288W	144-288W
Output Current	: 4Ax3 Channel	4A/Each Color
35x28 LED Strips	: 30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	: 10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	: 5	12



TOUCH CONTROLLER / LED DRIVER




VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072

Output Power	: 12 W	24 W	36 W	48 W	60 W	72 W
Output Current	: 1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	: 3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	: 1m	1.5m	2m	3m	4m	5m
Length (mm)	: L: 153	L: 153	L: 260	L: 290	L: 290	L: 355







RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432



Output Power	: 72 W	216 W-432 W
Output Current	: 2A/Each Color	6A/Each Color
Input Voltage	: DC 12V	DC 12V-DC 24V
Output Voltage	: DC 12V	DC 12V-DC 24V
35x28 RGB LED Strip	: 15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	: IR	RF



RGB CONTROLLER / RGB AMPLIFIER


AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



AMPLIFIER-12A	AMPLIFIER-30A
101-001-0144	101-001-0360

Output Power	: 144 W	360 W
Output Current	: 4A/Each Color	10A/Each Color
35x28 RGB LED Strip	: 30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter





NELSON



081 014 0001







WATERPROOF

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module



12V DC

NEW PRODUCT



LED MODULE STRIP






PROFILE-R1

120 001 0001

■ Recessed Type

3m




PROFILE-R2

120 001 0002

■ Recessed Type

3m




PROFILE-S1

120 002 0001

■ Surface Type

3m




PROFILE-S2

120 002 0002

■ Surface Type

3m




PROFILE-C1

120 003 0001

■ Corner Type

3m



ALUMINIUM PROFILE



HOROZ ELECTRIC

LED Christmas Light & Drivers

MONTANA



LINKABLE

080 001 0004

- 4.5V DC
- 4W/10m
- 335 lm/10m
- Average Life: 30,000 Hrs
- Standart Length: 1 m / 10 LED
- Package : 10m/ Roll



LED



HOROZ ELECTRIC


LED Christmas Light & Drivers



- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4.5V



	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:50 B:20 C:25	A:60 B:20 C:25



LED CHRISTMAS LIGHT & DRIVERS





HOROZ ELECTRIC

LED Lantern / LED Solar Camping Light

VERON

084 037 0015




CCT Adjustable

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time:
 - 6 Hours (3000K-6400K)
 - 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE




15W SMD LED



CRESPO


084 036 0025



- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE



25W SMD LED



LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp




HOROZ ELECTRIC



FORLAN

084 023 0010



- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Tube: 1.5 Hours
 - 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE




10W SMD LED



ROMARIO


084 022 0010



- 220-240V / 50-60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Hour for Strong Light
 - 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR

RECHARGEABLE



10W SMD LED




LED LANTERN / LED SOLAR CAMPING LIGHT



HENRY


084 034 0005



- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP



EMERGENCY LED LANTERN




MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- EXIT sticker included



- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003

Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45




WENGER

084 025 0012




- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - Step 1: 1 Hour
 - Step 2: 2 Hours
- Average Life: 30.000 Hrs



- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP

MESSI


- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DESK LAMP MODE



HANGABLE + MOUNTABLE




	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023

Power	: 9 W	15 W	23 W
Luminous Flux	: 280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	: 4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	: 3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	: A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50

- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP


MÜLLER

084 018 0001




- RECHARGEABLE
- AUTOMATIC LIGHT-UP
- AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs



BECKHAM




- LED HEADLIGHT
- RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003

Power	: 1 W	3 W
Luminous Flux	: 100 lm	200 lm
Battery	: 4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	: 20m	30m
Sizes (mm)	: A: 70 B: 81 C: 98	A: 85 B: 92 C: 96







ZOLA

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE




PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light




LED TORCH
RECHARGEABLE



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003

Power	: 0.5 W	1 W	3 W
Luminous Flux	: 30 lm	73 lm	120 lm
Battery	: 4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	: A: 45 B: 140	A: 50 B: 160	A: 65 B: 170




BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light




LED TORCH
RECHARGEABLE



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005

Power	: 1 W	3 W	5 W
Luminous Flux	: 70 lm	120 lm	210 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	: A: 51 B: 200	A: 65 B: 220	A: 85 B: 240




PUSKAS

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs




	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003

Power	: 0.5 W	0.9 W
Luminous Flux	: 25 lm	45 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	: 4 Hours	5 Hours
Sizes (mm)	: A: 75 B: 195	A: 100 B: 210




LED TORCH
RECHARGEABLE




MARADONA-2

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE





ROBSON

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes


084 020 0002

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



3W LED



LED EMERGENCY EXIT LAMP

ZOFF

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes


084 019 0001

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



1.5W LED



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

089 001 0001

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

089 001 0002

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

089 001 0003

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor / Doorbell Sensor / Wireless Lighting Controller Timer / Plug in Switch / Dimmer




TUCSON

088 001 0009

WHITE

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

088 001 0008

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

088 001 0002

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12+1m Max. (<24°C)
- Time-delay: 5 sec - 7+2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

088 001 0003

WHITE**BLACK**

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



LIGHT CONTROL PHOTOSENSOR / SENSOR



FOCUS


088 001 0001



WHITE

BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max. 1000W
- Detection Distance: 8 ± 1 m Max. (-24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: < 10Lux - 2000Lux




MONDEO

088 001 0010



WHITE

- Detection Range: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8 m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




ROVER

088 001 0011



WHITE

- Detection Angle: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




CORSA

088 001 0006



WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m




POLO

088 001 0007



WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec. Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




SMART

088 001 0005



WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)




Detection is possible to go through doors, panes of glass or thin walls



LORD

086 001 0001


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLID

086 001 0002


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLO

086 001 0006


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



ALBA

086 001 0004


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



HELIX

086 001 0003


- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome - Alarm
- USB Cable Included



VIOLA

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional






CONTROLLER

Wireless Lighting
Controller Switch




- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
- Energy saving lamp / LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)



CONTROLLER-1

105-001-0001


1 Channel



CONTROLLER-2

105-001-0002


2 Channels



CONTROLLER-3


105-001-0003

3 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001


Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

HORIZON

112 006 0001



- 250V-
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)





ATOM

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003

■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)




112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)



112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)





EVA

■ 250V-



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET





**Motor Protector Box
Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker**




SAFE

Motor Protector Box


■ For all Motor Protectors except 114-006-2540

114 008 0001



SAFE

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:615C:105



SAFE

Contactor

NEW
PRODUCT




	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116

SAFE

Thermal Relay

NEW
PRODUCT



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18.5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7



SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA



B



C




C

	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm





C



C

**SAFE****RCCB Circuit Breaker**

	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	: 25A	40A	25A	40A	63A	80A	100A
Poles	: 2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	: AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	: 4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	: 230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	: 30	30	30	30	30	30	30
Sizes (mm)	: A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	: 40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	: C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	: 20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110




Lamp Holder




094 004 0001

10 cm. 20 cm.




094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003




094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003



094 003 0004




LAMP HOLDER



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable


STARTER



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

- 220-240V / 50-60Hz
- 12V AC



	TRANSFORMER-60	TRANSFORMER-105
	093-001-0060	093-001-0105
Power :	60 W	105 W



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6

COAXIAL CABLE
100m ROLL




6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6

STARTER / TRANSFORMER / ADHESIVE TAPE / NAIL CABLE CLIP / CABLE TIE / COAXIAL CABLE / NETWORK CABLE



IP 68 CONNECTOR

- 250V~/16A
- Wire Range: 0.5 – 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection




IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
106-004-0001	106-004-0002

Pole :	1 Pole	2 Poles
--------	--------	---------



SLIM CONNECTOR

- 450V-
- Max. 32A
- Wire Range: 0.2 – 4 mm²
- Transparent




SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
103-002-0002	103-002-0003	103-002-0005

Pole :	2 Poles	3 Poles	5 Poles
--------	---------	---------	---------

CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 – 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
103-001-0002	103-001-0003	103-001-0005


Pole :	2 Poles	3 Poles	5 Poles
--------	---------	---------	---------



Connector Wire Spring Terminal Block



WIRE SPRING



WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060

Pole :	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²





E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-

 **KaçmazGrup**

www.horozelektrik.com