



HOROZ[®]

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2022-2

CATALOGUE






HOROZ ELECTRIC

2022-2 C A T A L O G U E

Contents

E x p e r i e n c e i n L i g h t i n g

ADHESIVE TAPE	159	LED SENSOR BULB	5
NEW ALUMINIUM BULKHEAD LAMP	101	NEW LED SENSOR DOWNLIGHT	31
ALUMINIUM PROFILE	141	LED SOLAR CAMPING LIGHT	143
CABLE TIE	159	LED SOLAR HOUSE NUMBER LIGHT	128
CEILING LAMP	71	LED SOLAR LAMP	127
COAXIAL CABLE	159	LED SOLAR PROJECTOR	88
CONNECTOR	160	NEW LED SOLAR SECURITY LIGHT	94
NEW CONTACTOR	155	NEW LED SOLAR STREET LIGHT	95
DECORATIVE CEILING LAMP	69	LED SPOTLIGHT	49
DESK LAMP	78	NEW LED STREET LIGHT	99
DIMMABLE LED BULB	4	NEW LED STRIP	132
DIMMABLE LED CAPSULE	10	NEW LED SURFACE BACKLIGHT	39
DIMMER	150	NEW LED SURFACE LIGHT	32-41
NEW DOORBELL	150	NEW LED SUSPENSION LIGHT	53
NEW DOWNLIGHT FITTING	19	LED TORCH	146
DRYWALL KIT	38	NEW LED TRACK LIGHT	44
ELECTRONIC WALL LAMP	85	LED TUBE	12
EMERGENCY LED LANTERN	144	LED TUBE FIXTURE	84
ENERGY SAVING LAMP	17	LED WALL LIGHT	66
FLOOR LAMP	79	LED WATERPROOF LAMP	82
FLUORESCENT TUBE	17	LIGHT CONTROL PHOTOSENSOR	148
FRAME	38	LIGHTING TRACK	50
NEW GARDEN LAMP	103	MINIATURE CIRCUIT BREAKER	156
GLASS PENDANT LAMP	63	NEW MOTOR PROTECTOR	154
HALOGEN LAMP	18	NEW MOTOR PROTECTOR BOX	154
LAMP HOLDER	158	MOULDED CASE CIRCUIT BREAKER	157
NEW LED 3CCT BULB	5	NAIL CABLE CLIP	159
LED BACKLIGHT PANEL	36	NETWORK CABLE	159
NEW LED BATTEN LIGHT	80	PENDANT LAMP	62
NEW LED BULB	4	NEW PORTABLE LED PROJECTOR	92
NEW LED BULKHEAD LAMP	100	PROJECTOR STAND	93
LED CANOPY LIGHT	93	NEW RECESSED LAMP	129
LED CAPSULE	10	RECESSED MONOPOINT	50
LED CEILING LAMP	70	RECHARGEABLE LED BULB	4
LED CHRISTMAS LIGHT & DRIVERS	142	REFLECTOR LAMP	18
LED CRYSTAL SUSPENSION LIGHT	57	RESIDUAL CURRENT CIRCUIT BREAKER	157
LED DECORATIVE CEILING LAMP	67	RGB AMPLIFIER	139
LED DESK LAMP	77	RGB RF CONTROLLER	134
NEW LED DOWNLIGHT	22	RGB SOCKET SET	134
NEW LED DRIVER	135	SENSOR	148
LED EMERGENCY EXIT LAMP	147	SOCKET	152
LED FILAMENT BULB	13	SOCKET SET	134
LED FRAME PANEL	38	SPOTLIGHT	49
NEW LED GARDEN LAMP	109	STARTER	159
LED HEADLIGHT	145	STRING LIGHT	61
NEW LED HIGH BAY LAMP	87	NEW SURFACE LIGHT	42
LED HOUSE NUMBER LIGHT	126	SWITCH	152
NEW LED INGROUND & RECESSED LAMP	129	TERMINAL BLOCK	160
LED LANTERN	143	NEW THERMAL RELAY	155
LED LINEAR HIGH BAY LAMP	86	TIMER	151
NEW LED LINEAR SUSPENSION LIGHT	51	TOUCH CONTROLLER	138
NEW LED MODULE STRIP	140	TRACK CONNECTOR	50
LED NIGHT LAMP	102	NEW TRACK LIGHT	47
LED PANEL	37	TRANSFORMER	159
LED PHOTOCELL BULB	5	WIRE SPRING	160
NEW LED PICTURE & MIRROR LAMP	73	WIRELESS LIGHTING CONTROLLER SWITCH	151
NEW LED PROJECTOR	89		
NEW LED PROJECTOR STAND	93		
LED READING LAMP	76		
LED RECESSED SENSOR LAMP	129		




159

ADHESIVE TAPE



101


ALUMINIUM BULKHEAD LAMP



141


NEW

ALUMINIUM PROFILE




159

CABLE TIE




71

CEILING LAMP



159

COAXIAL CABLE



160

CONNECTOR



155


NEW

CONTACTOR



69

DECORATIVE CEILING LAMP



78

DESK LAMP



04

DIMMABLE LED BULB



10

DIMMABLE LED CAPSULE



151

DIMMER



150

DOORBELL



19

NEW

DOWNLIGHT FITTING



38

DRYWALL KIT



85

ELECTRONIC WALL LAMP




144

EMERGENCY LED LANTERN



17

ENERGY SAVING LAMP



79

FLOOR LAMP



17

FLUORESCENT TUBE



38


FRAME



103

NEW

GARDEN LAMP



63

GLASS PENDANT LAMP



18

HALOGEN LAMP



158

LAMP HOLDER



05

NEW

LED 3CCT BULB



36

LED BACKLIGHT PANEL



80

NEW

LED BATTEN LIGHT



NEW

04

LED BULB



100


NEW

LED BULKHEAD LAMP



93

LED CANOPY LIGHT



10

LED CAPSULE




70

LED CEILING LAMP



142

LED CHRISTMAS LIGHT & DRIVERS




57

LED CRYSTAL SUSPENSION LIGHT



67

LED DECORATIVE CEILING LAMP



77

LED DESK LAMP



22

NEW

LED DOWNLIGHT



135

NEW

LED DRIVER




147

LED EMERGENCY EXIT LAMP



13

LED FILAMENT BULB



38

LED FRAME PANEL



109

NEW

LED GARDEN LAMP



145

LED HEADLIGHT



87

NEW

LED HIGH BAY LAMP



126

LED HOUSE NUMBER LIGHT



129

NEW

LED INGROUND & RECESSED LAMP



143

LED LANTERN



86

LED LINEAR HIGH BAY LAMP



51

NEW

LED LINEAR SUSPENSION LAMP



140


NEW

LED MODULE STRIP



102

LED NIGHT LAMP



37

LED PANEL



05


LED PHOTOCELL BULB



73

NEW

LED PICTURE & MIRROR LAMP



89

NEW

LED PROJECTOR



NEW

93

NEW FAMILY

LED PROJECTOR STAND

E x p e r i e n c e i n L i g h t i n g



76

LED READING LAMP



129

LED RECESSED SENSOR LAMP



05


LED SENSOR BULB



31

NEW

LED SENSOR DOWNLIGHT



143

LED SOLAR CAMPING LIGHT



128

LED SOLAR HOUSE NUMBER LIGHT



127

LED SOLAR LAMP



88

LED SOLAR PROJECTOR



94

NEW


LED SOLAR SECURITY LIGHT



95

NEW

LED SOLAR STREET LIGHT



49

LED SPOTLIGHT



99

NEW

LED STREET LIGHT



132

NEW

LED STRIP



39


LED SURFACE BACKLIGHT



32-41

NEW

LED SURFACE LIGHT



53

NEW

LED SUSPENSION LIGHT



146

LED TORCH



44

NEW

LED TRACK LIGHT



12

LED TUBE



84

LED TUBE FIXTURE



66

LED WALL LIGHT



82

LED WATERPROOF LAMP



148

LIGHT CONTROL PHOTOSENSOR



50

LIGHTING TRACK



156

MINIATURE CIRCUIT BREAKER



NEW

154

MOTOR PROTECTOR



154

NEW

MOTOR PROTECTOR BOX



157

MOULDED CASE CIRCUIT BREAKER



159

NAIL CABLE CLIP



159

NETWORK CABLE



62


PENDANT LAMP



92

NEW

PORTABLE LED PROJECTOR



93

PROJECTOR STAND



129

NEW

RECESSED LAMP



50

RECESSED MONOPOINT



04

RECHARGEABLE LED BULB



18

REFLECTOR LAMP



157

RESIDUAL CURRENT CIRCUIT BREAKER




139

RGB AMPLIFIER



134

RGB RF CONTROLLER



134

RGB SOCKET SET



148

SENSOR




152

SOCKET



134

SOCKET SET



49

SPOTLIGHT



159

STARTER



61

NEW

STRING LIGHT



42

NEW

SURFACE LIGHT



152

SWITCH



160

TERMINAL BLOCK



NEW

155

THERMAL RELAY



151

TIMER



138

TOUCH CONTROLLER



50

TRACK CONNECTOR



47

NEW

TRACK LIGHT



159

TRANSFORMER



160

WIRE SPRING





151

WIRELESS LIGHTING CONTROLLER SWITCH

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018

Power	:	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	:	500 lm	850 lm	1000 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	:	A: 50 B: 89	A: 60 B: 108	A: 60 B: 112	A: 60 B: 118	A: 70 B: 138	A: 80 B: 148



LED Bulb
LED Capsule
LED Tube




DURAMAX-12


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3,7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm



001 055 0012



Rechargeable
Emergency
LED
Bulb



Emergency Lighting
Duration: 3 Hours





EXPERT-10

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K



001 021 0010




LED BULB / RECHARGEABLE LED BULB / DIMMABLE LED BULB


COMBO-10

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)




CCT Switchable




DARK-10

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K





Built-in Photocell Sensor



FORCE-10

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




LED 3CCT BULB / LED PHOTOCELL BULB / LED SENSOR BULB




FOX

- 175-250V / 50-60Hz
- Average Life: 25,000 Hrs
- 6400K



	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015

Power	: 6 W	9 W	12 W	15 W
Luminous Flux	: 510 lm	770 lm	1050 lm	1350 lm
Sizes (mm)	: A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146




E27




FONIX

- 175-250V / 50-60Hz
- Average Life: 25,000 Hrs
- 3000K / 4200K / 6400K



	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008

Power	: 4 W	6 W	8 W
Luminous Flux	: 290 lm	440 lm	610 lm





GU5.3



PROLUX-6


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K

001 075 0006




CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



CONVEX-8	CONVEX-10
001-064-0008	001-064-0010


Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm



D I M M A B L E


VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm




PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




PLUS-4	PLUS-6	PLUS-8	PLUS-10
001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	:	4 W	6 W	8 W	10 W
Luminous Flux	:	290 lm	440 lm	610 lm	800 lm




**ULTRA**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




ULTRA-6	ULTRA-8	ULTRA-10
001-003-0006	001-003-0008	001-003-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 99	A: 38 B: 108	A: 38 B: 108


**CRAFT**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




CRAFT-6	CRAFT-8	CRAFT-10
001-004-0006	001-004-0008	001-004-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 128	A: 38 B: 141.5	A: 38 B: 141.5


**ELITE**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




ELITE-6	ELITE-8	ELITE-10
001-005-0006	001-005-0008	001-005-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Lamp Holder	: E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	: A: 45 B: 78	A: 45 B: 88	A: 45 B: 88


**REFLED**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K




REFLED-4	REFLED-6	REFLED-10	REFLED-12
001-039-0004	001-040-0006	001-041-0010	001-042-0012

Power	: 4 W	6 W	10 W	12 W
Luminous Flux	: 260 lm	480 lm	920 lm	1150 lm
Lamp Holder	: E14	E14	E27	E27
Sizes	: A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




**HOROZ****ELECTRIC****LED Bulb****F**
A
↑
G**TORCH**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs





Additional E40 lamp holder included in
Torch-80 and Torch-100 to convert E27 to E40



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27
Luminous Flux	2050 lm	3120 lm	4250 lm	5350 lm	8300 lm	10600 lm
Sizes (mm)	A: 80 B: 140	A: 100 B: 171	A: 117 B: 198	A: 137 B: 229	A: 149 B: 258	A: 161 B: 266 (E27)

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1600 lm	2010 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161



LED BULB

UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

**F**
A
↑
G


	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3050 lm	5200 lm	7500 lm
Sizes (mm)	A: 120 B: 110	A: 150 B: 140	A: 170 B: 170






PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
Part No.	001-045-0004	001-045-0006	001-045-0008	001-045-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	DECO-3	DECO-7
Part No.	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60



MEGA-5

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K



001 011 0005



D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K





	NANO-2	NANO-3
Part No.	001-008-0002	001-008-0003
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm
Color Temperature:	2700K/6400K	6400K



EXA-3

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K



001 047 0003





CORN

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs



	CORN-4	CORN-7
Code	001-062-0004	001-062-0007



Power	: 4 W	7 W
Luminous Flux	: 360 lm	760 lm
Color Temperature	: 2700K / 4200K / 6400K	6400K
Sizes (mm)	: A: 30 B: 95	A: 35 B: 135

MINI

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K



001 009 0002





GIGA-4

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K



001 046 0004




MIDI

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K




001 012 0002




MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	MICRO-2	MICRO-3
Code	001-010-0002	001-010-0003

Power	: 1.5 W	3 W
Luminous Flux	: 90 lm	160 lm
Sizes (mm)	: A: 12 B: 34	A: 12 B: 36





TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K




001 024 0002




PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	PIKO-2	PIKO-3
Code	001-007-0002	001-007-0003

Power	: 1.5 W	3 W
Luminous Flux	: 105 lm	210 lm







LED TUBE/LED BULB

LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	9 W	18 W	24 W
Luminous Flux	830 lm	1800 lm	2500 lm
Length (mm)	L: 600	L: 1200	L: 1500





TRIO-R


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3800 lm
- 6400K



001 065 0036



Rotatable




DAISY

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs





001 061 0040





FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K





FILAMENT CANDLE-4	FILAMENT CANDLE-6
001-013-0004	001-013-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT FLAME-4	FILAMENT FLAME-6
001-014-0004	001-014-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm


FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015

Power	:	4 W	6 W	8 W	10 W	12 W	15 W
Luminous Flux	:	450 lm	700 lm	900 lm	1200 lm	1540 lm	1750 lm
Sizes (mm)	:	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112	A: 67 B: 112	A: 70 B: 131






RUSTIC GLOBE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




001 030 0006



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



	RUSTIC TUBE - 6	RUSTIC TUBE - 8
Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes / mm) :	A: 30 B: 185	A: 30 B: 235



001-033-0006	001-033-0008
--------------	--------------

RUSTIC VINTAGE - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K





001 029 0006





- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)



TOLEDO

001 049 0008




PARADOX PARADOX-XL

001 052 0008




GINZA GINZA-XL

001 050 0008




ORIGAMI ORIGAMI-XL

001 053 0008



ENIGMA ENIGMA-XL

001 051 0008



ELLIPTIC ELLIPTIC-XL

001 054 0008







FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005



3 Modes



Flame Mode



General Lighting Mode




Breathing Mode



PINE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 059 0002



6400K
236 lm

RED
19 lm

AMBER
154 lm

BLUE
32 lm

GREEN
187 lm


PINK
175 lm



RAINBOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



■ 105 lm



■ 34 lm



■ 68 lm



■ 12 lm




■ 120 lm



SPECTRA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



■ 315 lm



■ 102 lm



■ 205 lm



■ 38 lm



■ 250 lm






HOROZ ELECTRIC

Fluorescent Tube / Energy Saving Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs




TUBE-5


TUBE-8



	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360lm	740lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200



HOROZ ELECTRIC


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux:	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter:	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174




HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K	2700K	2700K	2700K
Luminous Flux:	410 lm	550 lm	770 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146




**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs



	GU10CLOSED 220-240V/50-60 Hz	JCDROPEN 220-240V/50-60 Hz	JCDRCLOSED 220-240V/50-60 Hz
Power	50 W	50 W	50 W
Luminous Flux	340 lm	650 lm	550 lm
Lamp Holder	GU10	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp




Average Life: 2.000 Hrs



	78 mm 220-240V/50-60Hz	118 mm 220-240V/50-60Hz	189 mm 220-240V/50-60Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A:10 B: 78	A:13 B:118	A:13 B:189




Average Life: 2.000 Hrs



	JC G4 12V AC	JCG4 WHITE 12V AC
Power	20 W	20 W
Luminous Flux	250 lm	200 lm

Average Life: 2.000 Hrs




	G9 CLEAR 220-240V/50-60Hz	G9 WHITE 220-240V/50-60Hz	G9 FROST 220-240V/50-60Hz
Power	25 W / 40W	40W	40W
Luminous Flux	270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**

Reflector Lamp

**R**

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



	R39 007-001-0030	R50-40 007-002-0040	R50-60 007-002-0060	R63-60 007-003-0060
Power	30 W	40 W	60 W	60 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm
Lamp Holder	E14	E14	E14	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95





MEYAN

■ Lamp holder not included


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



PETUNYA

■ Lamp holder not included

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Power	: Max. 50 W	Max. 2x50 W	Max. 3x50 W
Cutting Size (mm)	: 93x93	93x170	93x256
Sizes (mm)	: A: 100 B: 100 C: 32	A: 100 B: 185 C: 32	A: 100 B: 270 C: 32





KARANFİL

■ Lamp holder not included

WHITE


BLACK



NEW PRODUCT




NEW PRODUCT



KARANFİL-R

015-022-0050



KARANFİL-S

015-023-0050




RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME

■ Frame Ring for KARANFİL-R



NEW PRODUCT



NEW PRODUCT

KAKTÜS


■ Lamp holder not included

WHITE

BLACK


NEW PRODUCT

NEW PRODUCT



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001



DOWNLIGHT FITTING



SARDUNYA

■ Lamp holder not included




WHITE




SARDUNYA-R

015-017-0050



SARDUNYA-S

015-018-0050



KAMELYA

■ Lamp holder not included

015 025 0050


CHROME

MAT CHROME

BLACK

WHITE

GOLDEN



LAVANTA

■ Lamp holder not included

015 024 0050


CHROME

MAT CHROME

BLACK

WHITE

GOLDEN



ORKIDE

■ 220-240V / 50-60Hz
■ Max. 50W


015 007 0050

CHROME

MAT CHROME

GOLDEN

WHITE





LED Downlight LED Sensor Downlight




ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K




LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available




BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K




SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



LED DOWNLIGHT



MELODY

016 069 0005





MAT CHROME

WHITE

BLACK

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K
- Linked Sets: 18 pcs



GABRIEL

016 029 0006





JESSICA

016 030 0006



WHITE


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K





NORA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE




	NORA-5	NORA-7	NORA-9	NORA-12
	016-053-0005	016-053-0007	016-053-0009	016-053-0012

Power	: 5 W	7 W	9 W	12 W
Luminous Flux	: 445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	: Ø70	Ø70	Ø90	Ø110
Sizes (mm)	: A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35



MAYA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE



	MAYA-5	MAYA-7	MAYA-9	MAYA-12
	016-054-0005	016-054-0007	016-054-0009	016-054-0012

Power	: 5 W	7 W	9 W	12 W
Luminous Flux	: 445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	: Ø70	Ø70	Ø90	Ø110
Sizes (mm)	: A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35






PARKER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK

WHITE



NEW PRODUCT




Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)



	PARKER-5	PARKER-12
	016-071-0005	016-071-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 40 B: 82	A: 38 B: 148




CARTER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK

WHITE



NEW PRODUCT




Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)



	CARTER-5	CARTER-12
	016-072-0005	016-072-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 35 B: 82	A: 33 B: 145






LED DOWNLIGHT

VALENTINA


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K



ADJUSTABLE CUT HOLE



	VALENTINA-6	VALENTINA-12	VALENTINA-24	VALENTINA-36
	016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	: 6 W	: 12 W	: 24 W	: 36 W
Luminous Flux	: 480 lm	: 960 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 50-90	: 50-105	: 50-150	: 50-205
Sizes (mm)	: A:100 B:25	: A:120 B:25	: A:170 B:25	: A:220 B:25










STELLA

STELLA/SQ

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030

Power	: 8 W	16 W	20 W	30 W
Luminous Flux	: 680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm)	: 55-70	55-100	55-150	55-200
Sizes (mm)	: A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19



	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030


Power	: 8 W	16 W	20 W	30 W
Luminous Flux	: 680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm)	: 55-70	55-100	55-150	55-200
Sizes (mm)	: A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19




LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225





ALEXA


- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K/4200K/7000K



- WHITE
- BLACK



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power :	8 W	12 W	20 W	24 W	30 W
Luminous Flux :	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm) :	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230







- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CLARA

MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE





	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



SLIM/Sq


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K




WHITE



	SLIM/Sq-3	SLIM/Sq-6	SLIM/Sq-9	SLIM/Sq-12	SLIM/Sq-15	SLIM/Sq-18	SLIM/Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:292





LED SENSOR DOWNLIGHT


MARTHA-18

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 6400K

016 060 0018




- WHITE
- BLACK



Recessed



Surface Mounting



Built-in Photocell & PIR Sensor

☀ Day & Night motion sensor mode

☾ Night motion sensor mode






SOFIA


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38





SOFIA/S


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38






CARLA


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

WHITE



CARLA-16	CARLA-24	CARLA-32
016-058-0016	016-058-0024	016-058-0032


Power	: 16 W	24 W	32 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm
Sizes (mm)	: A:120 B:45	A:175 B:45	A:225 B:45



CARLA/SQ


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

WHITE



CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32
016-059-0016	016-059-0024	016-059-0032

Power	: 16 W	24 W	32 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm
Sizes (mm)	: A:125 B:45	A:172 B:45	A:225 B:45



ANDREA

- 170-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE





Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A:220 B:49	A:280 B:49	A:327 B:49



LED Surface Light
LED Surface Backlight
Surface Light



ANDREA/S

- 170-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE





Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A:220 B:49	A:280 B:49	A:327 B:49






SCARLETT-30

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 6400K


016 070 0030



WHITE

BLACK

NEW
PRODUCT





HOROZ ELECTRIC


LED Backlight Panel

PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

WHITE


056 010 0045



BACKLIGHT PANEL



Inside of Product




EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K

WHITE



056 009 0080



BACKLIGHT PANEL



Inside of Product



HOROZ ELECTRIC



LED Panel LED Backlight Panel Frame Drywall Kit



TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE




TAURUS-36

TAURUS-48

056-013-0036

056-013-0048

Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL


Inside of Product






GALAKSİ-45

056 002 0045




WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K





STAR-50

056 001 0050



SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K





LED PANEL

MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K



WHITE



ZODIAC

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



MOON-32	MOON-40
056-007-0032	056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8



ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8









CAPELLA-48

- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE

056 012 0048



FRAME

WHITE


DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45



LED FRAME PANEL / FRAME / DRYWALL KIT



LED SURFACE LIGHT / LED SURFACE BACKLIGHT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K





CAROLINE

ARINA

- WHITE
- BLACK



NEW PRODUCT






	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K



PULSAR-48

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048



- WHITE
- BLACK

BACKLIGHT PANEL



Inside of Product








LED SURFACE BACKLIGHT

PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE

BLACK



BACKLIGHT PANEL



Inside of Product



PROTEUS-36 PROTEUS-48

056-014-0036 056-014-0048


Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38






LAYLA-15

016 073 0015



BLACK


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K



SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL




WHITE

BLACK




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





SALSA

SALSA-XL

SALSA-L

SALSA/SQ-L

**NEW
PRODUCT**

WHITE


BLACK

- 220-240V / 50-60Hz
- Max. 35W




SALSA

015-036-0001




SALSA-L

015-036-0002




SALSA-XL

015-036-0003



SALSA/SQ-L

015-037-0002



REFLEX



**NEW
PRODUCT**

CHROME

GOLD

RED COPPER

REFLEX

128-001-0001

REFLEX-L

128-001-0002


REFLEX-XL

128-001-0003

REFLEX/SQ-L

128-002-0002

Sizes (mm) :	A:60	A:80	A:100	A:80
For Reflector :	Salsa	Salsa-L	Salsa-XL	Salsa/SQ-L






MIAMI

- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included

WHITE

BLACK

015 033 0001



SURFACE LIGHT

FREZYA


- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

WHITE


BLACK



FREZYA-R
015-026-0050



FREZYA-S
015-027-0050






HOROZ ELECTRIC

LED Track Light

ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




WHITE

BLACK



ARIZONA-5	ARIZONA-10
018-027-0005	018-027-0010

Power	: 5 W	10 W
Luminous Flux	: 380 lm	730 lm
Beam Angle	: 52°	60°




HOROZ ELECTRIC

LED Track Light




VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK



VARNA-20	VARNA-30	VARNA-36
018-026-0020	018-026-0030	018-026-0036

Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180






Z O O M A B L E

MONACO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15° - 60°




WHITE

BLACK



MONACO-15	MONACO-30
018-019-0015	018-019-0030


Power	: 15 W	30 W
Luminous Flux	: 1125 lm	2250 lm
Sizes (mm)	: A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



LED TRACK LIGHT

LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK



LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162






HOROZ ELECTRIC

LED Track Light

BERN


018 017 0030



WHITE

BLACK


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°



LED TRACK LIGHT

DUBLIN


018 018 0035



WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°






HOROZ ELECTRIC

LED Track Light / Track Light


LONDRA



WHITE

BLACK

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



	LONDRA-12	LONDRA-15
	018-029-0012	018-029-0015

Power	: 12 W	15 W
Luminous Flux	: 1080 lm	1350 lm
Sizes (mm)	: A: 50 B: 200	A: 60 B: 200



HOROZ ELECTRIC

LED Track Light / Track Light



LED TRACK LIGHT / TRACK LIGHT


LONDRA-G

115 005 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





HOROZ ELECTRIC

Track Light

TORONTO

115 004 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- 10W (LED)
- Bulb not included



BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included




HOROZ ELECTRIC

Track Light



DAKAR

115 001 0001




RABAT

115 002 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





HOROZ ELECTRIC

Spotlight / LED Spotlight


LOZAN

116 001 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





TOKYO

017 002 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



HOROZ ELECTRIC

Spotlight LED Spotlight



SPOTLIGHT / LED SPOTLIGHT



HOROZ ELECTRIC

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001


1 m.

097 001 0002

2 m.

097 001 0003

3 m.



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001

L Connector

096-002-0002



HOROZ ELECTRIC

Lighting Track Track Connector Recessed Monopoint




RECESSED MONOPOINT

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125



098 001 0001



HOROZ ELECTRIC


LED Linear Suspension Light

FORTUNE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available


BLACK

WHITE



FORTUNE3-40	FORTUNE5-40	FORTUNE10-80
019-050-0040	019-051-0040	019-052-0080

Power	: 40 W	40 W	80 W
Luminous Flux	: 4200 lm	4200 lm	8000 lm
Width (mm)	: 30 mm	50 mm	100 mm



HOROZ ELECTRIC

LED Linear Suspension Light
LED Suspension Light
LED Crystal Suspension Light




LED LINEAR SUSPENSION LIGHT






INNOVA

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available



BLACK

WHITE




NEW
PRODUCT



INNOVA3-40	INNOVA5-40	INNOVA10-80
019-033-0040	019-034-0040	019-049-0080

Power	: 40 W	40 W	80 W
Luminous Flux	: 3200 lm	3200 lm	6500 lm
Width (mm)	: 30 mm	50 mm	100 mm



LED LINEAR SUSPENSION LIGHT






CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



PHOENIX

019 020 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K



ELECTRA

019 021 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K



OPTIMA-12

019 030 0012

OPTIMA-24



019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K





CONCORDE-24




019 053 0024



NEW PRODUCT

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K



CONCORDE-36




019 053 0036



NEW PRODUCT

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K



LED SUSPENSION LIGHT



LIBERTY

019 054 0030





NEW PRODUCT

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



CORNELIA

019 055 0060






NEW PRODUCT

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K






OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K




GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR

019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K



LED SUSPENSION LIGHT




ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K




AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K







AVATAR

019 039 0033

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

CHROME




LED CRYSTAL SUSPENSION LIGHT

AVIATOR


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056

Power	: 24 W	40 W	56 W
Luminous Flux	: 1680 lm	2800 lm	3920 lm







QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


CHROME



QUASAR-42

019-023-0042

Power	: 42 W
Luminous Flux	: 2940 lm






LED CRYSTAL SUSPENSION LIGHT

NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



NIRVANA-24

019-027-0024

NIRVANA-32

019-027-0032

NIRVANA-40

019-027-0040

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400



PANDORA-72

019-028-0072

PANDORA-96

019-028-0096

Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm




NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K





POLARIS

019 024 0046

CHROME



- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K



TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



TORNADO-30
019-025-0030

Power	: 30 W
Luminous Flux	: 2100 lm
Sizes (mm)	: A: 800 B: 150 C: 400








VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



VOYAGER-12	VOYAGER-18	VOYAGER-24
019-041-0012	019-041-0018	019-041-0024



Power	: 12 W	18 W	24 W
Luminous Flux	: 840 lm	1260 lm	1680 lm
Length (mm)	: L : 410	L : 565	L : 815





LED CRYSTAL SUSPENSION LIGHT




ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
019-040-0019	019-040-0025	019-040-0032	019-040-0038



Power	: 19 W	25 W	32 W	38 W
Luminous Flux	: 1330 lm	1750 lm	2240 lm	2660 lm
Diameter (mm)	: Ø: 300	Ø: 400	Ø: 500	Ø: 600





HOROZ ELECTRIC

String Light


CARNAVAL-ROLL

022 003 0001

CUTTABLE

NEW PRODUCT

- 220V-
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included




CARNAVAL-F10

022 002 0010

LINKABLE

NEW PRODUCT

- 220V-
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0,94mm²
- Total 10 Meters
- Bulb not included



STRING LIGHT



HOROZ ELECTRIC

String Light



CARNAVAL


LINKABLE

- 220V-
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



CARNAVAL-1	CARNAVAL-2
022-001-0001	022-001-0002

Watt (Linked Sets) :	Max. 750W	Max.1500W
Cable :	2*0,75mm ²	2*1,5mm ²





HOROZ ELECTRIC

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001




WEBER

021 008 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN

PEARL BLACK

OLD BRONZE

CHROME

■ 250V-/4A

■ Max. 60W

100 mm



1000 mm



HOROZ ELECTRIC

Pendant Lamp
Glass Pendant Lamp




VOLTA

021 001 0001



90 mm



1000 mm

BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V-/4A

■ Max. 60W



NEWTON

021 010 0001




320 mm

1385 mm

KEPLER

021 011 0001




240 mm

1285 mm

MAXWELL

021 012 0001




320 mm

1500 mm

NOBEL

021 013 0001



320 mm

1385 mm

BLACK

■ 250V-/4A

■ Max. 60W

FOLDABLE CASE



PENDANT LAMP



GLASS PENDANT LAMP / PENDANT LAMP

DREAM

021 020 0001



SHARP

021 019 0001



RONDO


021 018 0001



AMBER

TITANIUM

- 250V-/4A
- Max. 60W
- Glass



GLOBAL

021 021 0001



GLOBAL-X


021 021 0002



AMBER

TITANIUM

- 250V-/4A
- Max. 60W
- Glass




AMPER

021 022 0001



COPPER

- 250V-/4A
- Max. 60W
- For Glass Pendant





ELEMENT-1

021 015 0001



AMBER



TITANIUM

ELEMENT-2

021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V-/4A
- Max. 60W
- Glass



E27

SPARK-1

021 016 0001



AMBER



TITANIUM

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V-/4A
- Max. 60W
- Glass



E27

HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V-/4A
- Max. 60W
- Glass



E27





LASER

SPECTRUM

RADIAN

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 004 0002



021 005 0001



021 005 0002



021 007 0002




GLASS PENDANT LAMP

METEOR

COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 014 0001



021 014 0002






HOROZ ELECTRIC

LED Wall Light


SİSAM

029 006 0008



TRUVA

029 007 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs




HOROZ ELECTRIC

LED Wall Light



ERDEK

029 001 0005



RED


- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




RODOS

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012
Power :	3 W	6 W	12 W
Luminous Flux :	170 lm	340 lm	950 lm
Sizes (mm) :	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



BELÉN

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



	BELÉN-6	BELÉN-12	BELÉN-18
	029-003-0006	029-003-0012	029-003-0018
Power :	6 W	12 W	18 W
Luminous Flux :	340 lm	950 lm	1400 lm
Sizes (mm) :	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95






HOROZ ELECTRIC

LED Decorative Ceiling Lamp

ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE



ELECTRON-15	ELECTRON-24	ELECTRON-36
027-010-0015	027-010-0024	027-010-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 911 lm	1485 lm	2228 lm
Sizes (mm)	: A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55




HOROZ ELECTRIC

LED Decorative Ceiling Lamp



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE



EPSILON-15	EPSILON-24	EPSILON-36
027-004-0015	027-004-0024	027-004-0036



Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60



SHARK-24

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

027 001 0024



LED DECORATIVE CEILING LAMP



PIXEL



RADIUS



WHITE

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K



PIXEL-36

PIXEL-48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70



RADIUS-36

RADIUS-48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

ETERNAL



DISCOVERY



ETERNAL-36

ETERNAL-48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90




DISCOVERY-36

DISCOVERY-48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



GHOST



WHITE

BLUE

PINK

- 180 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K



PHANTOM-36

PHANTOM-48

027-002-0036

027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65




GHOST-36

GHOST-48

027-003-0036

027-003-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60






HOROZ ELECTRIC

Decorative Ceiling Lamp

SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME



SARAY-3

026-005-0003

Power : Max. 2X60 W

Sizes (mm) : A: 75 B: 285



HOROZ ELECTRIC


Decorative Ceiling Lamp



ZARA

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME



ZARA-1

026-003-0001

ZARA-2

026-003-0002

ZARA-3

026-003-0003

ZARA-4

026-003-0004

Power : Max. 60 W

Max. 2X60 W

Max. 3X60 W

Max. 60 W

Sizes (mm) : A: 90 B: 230

A: 100 B: 285


A: 130 B: 370

A: 265 B: 110 C: 150

ILGAZ

- 220-240V / 50-60Hz
- Diffuser: Glass

CHROME + MAT CHROME



ILGAZ-2

026-001-0002

ILGAZ-4

026-001-0004

Power : Max. 60 W

Max. 60 W

Sizes (mm) : A: 90 B: 290

A: 310 B: 110 C: 160



DECORATIVE CEILING LAMP



LED CEILING LAMP




LED Ceiling Lamp
Ceiling Lamp



LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4




■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm





KEMER

■ 220-240V / 50-60Hz

CHROME



■ KEMER-1



■ KEMER-2



■ KEMER-3




■ KEMER-4



■ KEMER-5

KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	-----------	-----------	-----------	-----------	-----------



BODRUM

■ 220-240V / 50-60Hz

MAT CHROME



■ BODRUM-1


■ BODRUM-2

■ BODRUM-3

■ BODRUM-4

BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
-------	-----------	-----------	-----------	-----------



MANAVGAT

■ 220-240V / 50-60Hz

CHROME



■ MANAVGAT-1

■ MANAVGAT-2


■ MANAVGAT-3

■ MANAVGAT-4

■ MANAVGAT-5

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	-----------	-----------	-----------	-----------	-----------





HOROZ ELECTRIC



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



HOROZ ELECTRIC

LED Picture & Mirror Lamp LED Reading Lamp





LED PICTURE & MIRROR LAMP

SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABIL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K






LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK



NEW
PRODUCT




LEYLEK-8

LEYLEK-12

040-016-0008

040-016-0012

Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40




LED PICTURE & MIRROR LAMP



KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME




KANARYA-8

KANARYA-12

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






ANKA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




LED PICTURE & MIRROR LAMP

FLAMINGO


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



FLAMINGO-4	FLAMINGO-6
040-001-0004	040-001-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	A: 505 B: 52 C: 185






ALBATROS


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108




KUĞU

SILVER

040 006 0003

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K




TURNA

SILVER

040 007 0003



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	: 3 W	6 W	9 W
Luminous Flux	: 214 lm	428 lm	640 lm



LED PICTURE & MIRROR LAMP / LED READING LAMP



EBRU

049 010 0010

BLACK
WHITE
SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs

DIMMABLE

10W SMD LED

CCT Adjustable With Clips

IP20 TOUCH

İREM

049 011 0005

RED
WHITE
BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs

DIMMABLE

5W SMD LED

3000K 4600K 6000K

IP20 TOUCH

HOROZ ELECTRIC

LED Desk Lamp
Desk Lamp

CE EAC RoHS



DİLARA

049 004 0003

BLACK
WHITE
RED

- 220-240V/50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs

ON-OFF

3W POWER LED


3000K 4200K 6400K

IP20



BERNA

049 006 0003




BLACK

WHITE

BLUE


RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BİLGE

049 008 0003



BLACK


WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs




BUDDY

048 001 0015

PINK

BLUE

YELLOW




OSCAR

048 002 0015

PINK



- 220-240V/50-60Hz
- Max. 15W
- 500 lm
- 4500K



Bulb included



KITTY

048 004 0011

BLUE

GREEN




FLYER

048 008 0011


PINK

BLUE

YELLOW



- 220-240V/50-60Hz
- Max. 11W
- 350 lm
- 4500K



Bulb included



SİMGE


048 014 0060



GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W



RANA

048 013 0060




BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



BİHTER

048 009 0060




BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W



Floor Lamp




MERİÇ

■ 220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	: White	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500





HOROZ ELECTRIC

LED Batten Light



DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K

LINKABLE

052 007 0120

NEW PRODUCT





HAVZA-60

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K

LINKABLE

052 008 0120

NEW PRODUCT




HOROZ ELECTRIC

LED Batten Light LED Waterproof Lamp LED Tube Fixture Electronic Wall Lamp



GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




NEW PRODUCT



	GAMA-60	GAMA-80
	052-006-0120	052-006-0120

Power	: 60 W	80 W
Luminous Flux	: 4500 lm	6000 lm
Width (mm)	: A: 1200 B: 62 C: 25	A: 1200 B: 75 C: 27




LED BATTEN LIGHT



TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



TETRA-18	TETRA-36
052-003-0060	052-003-0120


Power	: 18 W	36 W
Luminous Flux	: 1135 lm	2269 lm
Length (mm)	: L: 600	L: 1200



LED BATTEN LIGHT


TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
052-005-0060	052-005-0120	052-005-0150


Power	: 27 W	54 W	72 W
Luminous Flux	: 1890 lm	3780 lm	5670 lm
Length (mm)	: L: 600	L: 1200	L: 1500






IRMAK

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K




IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560




NEHIR

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K




NEHIR-18	NEHIR-36	NEHIR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562




OKYANUS

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542






LED WATERPROOF LAMP


MEDUSA

- 180-260V/50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058

Power	: 18 W	36 W	58 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 600	L: 1200	L: 1500






LED TUBE FIXTURE

PROMASTER

- 175 - 250V / 50 - 60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included

057 003 2120




PROFIX

- 175 - 250V / 50 - 60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included




	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65





SIGMA


- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



LINKABLE




	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156



OMEGA


- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



LINKABLE



	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155



ALFA

- 220-240V / 50-60Hz



	ALFA-6	ALFA-8	ALFA-28
	053-001-0006	053-001-0008	053-001-0028

Power	6 W	8 W	28 W
Length (mm)	L: 267	L: 343	L: 1200




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120

Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226






HOROZ ELECTRIC

LED Linear High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body




Mountable



Hangable



	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	4650 lm	9300 lm	13950 lm	18600 lm
Length (mm)	290	520	758	1000



HOROZ ELECTRIC


LED High Bay Lamp LED Linear High Bay Lamp






AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	AGORA-100	AGORA-150	AGORA-200
	063-008-0100	063-008-0150	063-008-0200

Power	: 100 W	150 W	200 W
Luminous Flux	: 11000 lm	16500 lm	22000 lm
Sizes (mm)	: A:271 B: 90	A:310 B: 90	A:380.9 B: 90




ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0100	063-003-0150	063-003-0200

Power	: 100 W	150 W	200 W
Luminous Flux	: 10000 lm	15000 lm	20000 lm
Sizes (mm)	: A: 270 B: 110	A: 320 B: 125	A: 370 B: 145






LED SOLAR PROJECTOR



**LED Solar Projector
LED Projector
Portable LED Projector
Projector Stand
Module LED & Apparatus**



TIGER




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK



	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100

Power :	25 W	40 W	60 W	100 W
Luminous Flux :	465 lm	840 lm	1040 lm	1500 lm
Battery :	1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel :	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/20W	Polysilicon, 6V/35W
Projector Sizes (mm) :	A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm) :	D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17







LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs

BLACK



	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	30 W	50 W	100 W	150 W	200 W	300 W	400 W
Luminous Flux	: 1785 lm	2685 lm	4500 lm	8500 lm	13200 lm	19000 lm	25500 lm	34000 lm
Color Temperature	: 2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	2700K/4200K 6400K	6400K	6400K
Sizes (mm)	: A:200 B:157 C:50	A:215 B:171 C:45	A:270 B:210 C:55	A:305 B:253 C:75	A:380 B:310 C:75	A:400 B:350 C:90	A:420 B:380 C:90	A:480 B:430 C:105







PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK




	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power :	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux :	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm	34000 lm
Color Temperature :	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K	2700K/6400K
Sizes (mm) :	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95	A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




BLACK



WITH PIR SENSOR




	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power :	10 W	20 W	30 W	50 W	100 W
Luminous Flux :	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm
Sizes (mm) :	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41





ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs




NEW PRODUCT



BLACK

WHITE




	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200

Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5750 lm	: 11700 lm	: 23550 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A:75.5 B:93 C:28.5	: A:105 B:118 C:29	: A:126 B:136 C:29.5	: A:161.5 B:174 C:32	: A:233.5 B:245 C:37	: A:325.5 B:343 C:41

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



NEW PRODUCT




WITH PIR SENSOR



BLACK

WHITE




	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050

Power	: 10 W	: 20 W	: 30 W	: 50 W
Luminous Flux	: 1100 lm	: 2200 lm	: 3380 lm	: 5500 lm
Sizes (mm)	: A:135 B:93 C:40	: A:161 B:118 C:40	: A:176 B:135 C:40	: A:210.5 B:174 C:40




WORKSHOP

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- 1.8M H07RN-F3G1.5mm2+VDE plug




WORKSHOP-30	WORKSHOP-60
068-019-0030	068-019-0060

Power	: 30 W	60 W
Luminous Flux	: 3250lm	6500 lm
Sizes (mm)	: A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	: 1 socket+ON/OFF on back	2 socket+ON/OFF on back




PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable




PROPORT-20	PROPORT-45
068-015-0020	068-015-0045

Power	: 20 W	45 W
Luminous Flux	: 2100 lm	4900 lm
Sizes (mm)	: A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



FOLDABLE






HOROZ ELECTRIC

LED Projector Stand/Projector Stand/LED Canopy Light


TOWER

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen: 2x4300lm,
- Ra > 80, IP54
- ON/OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage



NEW
PRODUCT



LED PROJECTOR STAND/PROJECTOR STAND



HOROZ ELECTRIC


LED Projector Stand Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



LED CANOPY LIGHT



HOROZ ELECTRIC


LED Canopy Light



FALCON

RECESSED


069 001 0110



EAGLE

SURFACE

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs






HOROZ ELECTRIC

LED Solar Security Light


ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK



HOROZ ELECTRIC

LED Solar Security Light



LED SOLAR SECURITY LIGHT




HOROZ ELECTRIC


LED Solar Street Light

COMBAT


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole



BLACK



	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V/10Ah Lithium Iron Phosphate	4x3.2V/15Ah Lithium Iron Phosphate	5x3.2V/20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3.5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127



HOROZ ELECTRIC

LED Solar Street Light LED Street Light




LED SOLAR STREET LIGHT



POLE

130 001 0001

■ Pole for Combat






COMPACT


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

Built-in Photocell

BLACK



	COMPACT-10	COMPACT-20	COMPACT-30
	074-010-0010	074-010-0020	074-010-0030
Power	10 W	20 W	30 W
Luminous Flux	180 lm	230 lm	300 lm
Battery	3x3.2V,3Ah Lithium Iron Phosphate	4x3.2V,5Ah Lithium Iron Phosphate	5x3.2V,10Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/3W	Polycrystalline Silicon 6V/6W	Polycrystalline Silicon 6V/12W
Street Lamp Sizes (mm)	A:270 B:135 C:405 D:40	A:320 B:183 C:670 D:48	A:425 B:183 C:805 D:50



LED SOLAR STREET LIGHT






GRAND

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
(Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK



	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	826 lm	984 lm	1198 lm	1567 lm
Battery	1x3.2V5AH Lithium Iron Phosphate	1x3.2V5AH Lithium Iron Phosphate	2x3.2V5AH Lithium Iron Phosphate	3x3.2V5AH Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/6W	Polycrystalline Silicon 6V/9W	Polycrystalline Silicon 6V/20W	Polycrystalline Silicon 6V/25W
Installation Height	3 Meters	3,5 Meters	4 Meters	5 Meters
Irradiation Area	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	A: 213 B: 312 C: 63	A: 207 B: 405 C: 65	A: 252 B: 640 C: 80	A: 252 B: 835 C: 80




LED SOLAR STREET LIGHT





BLACK

LAGUNA




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket



	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200

Power	: 50 W	100 W	200 W
Luminous Flux	: 950 lm	1300 lm	2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	: 3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17



LED SOLAR STREET LIGHT






TEXAS


- 100 - 265V / 50 - 60 Hz
- Average Life: 20.000 Hrs
- 6400K



BLACK




	TEXAS-30	TEXAS-50	TEXAS-100
	074-012-0030	074-012-0050	074-012-0100
Power :	30 W	50 W	100 W
Luminous Flux :	3400 lm	5750 lm	11680 lm
Street Lamp Sizes (mm) :	A:340 B:123 C:40	A:382 B:157 C:40	A:500 B:197 C:53




ORLANDO

- 85 - 265V / 50 - 60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK




	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power :	20 W	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	1726 lm	2829 lm	4953 lm	8923 lm	15061 lm	17594 lm
Sizes (mm) :	A: 40 B: 55 C: 315 D: 105	A: 40 B: 55 C: 355 D: 125	A: 40 B: 55 C: 405 D: 165	A: 60 B: 75 C: 620 D: 220	A: 60 B: 75 C: 690 D: 250	A: 60 B: 85 C: 740 D: 275



LED Bulkhead Lamp

HECTOR-10

071 012 0010



NEW PRODUCT


WHITE

- 160-265V / 50-60Hz
- 4200K
- 800 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec Max. 5min±1min



VESPER-15


071 013 0015



NEW PRODUCT

WHITE

- 160-265V / 50-60Hz
- 4200K
- 1100 lm
- Average Life: 30.000 Hrs
- Ambient Light: <3-2000LUX (adjustable)
- Time Delay: Min. 10sec±3sec Max. 5min±1min




LED Bulkhead Lamp



BOLKAR-20


071 014 0020



NEW PRODUCT

WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP

WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT

AYDER

TOROS

KAÇKAR



NEMRUT

AYDER

TOROS

KAÇKAR

070-001-0060


070-012-0100

070-002-0060

070-013-0100

Power : Max.60 W Max.100 W Max.60 W Max.100 W

Sizes (mm) : A:210 B:80 C:105 A:275 B:115 C:155 A:210 B:85 C:105 A:275 B:120 C:155



WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES



ZİGANA

MUNZUR

ARARAT

ERCİYES

070-005-0060


070-014-0100

070-006-0060

070-015-0100

Power : Max.60 W Max.100 W Max.60 W Max.100 W

Sizes (mm) : A:180 B:85 C:180 A:240 B:110 C:140 A:170 B:80 C:170 A:240 B:115 C:240





LED Night Lamp




SIMPSON

085 001 0006



WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX






BUGS

MAX

DUFFY



	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm






Garden Lamp LED Garden Lamp LED House Number Light



NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

NAR-2
075-016-0002

NAR-3
075-016-0003

NAR-4
075-016-0004

NAR-5
075-016-0005

Power :	Max.60 W
Color :	Black/White
Sizes :	A:170 B:240 C:210

Power :	Max.60 W
Color :	Black/White
Sizes :	A:170 B:800 C:260

Power :	Max.60 W
Color :	Black/White
Sizes :	A:170 B:170 C:300

Power :	Max.60 W
Color :	Black
Sizes :	A:170 B:170 C:580

Power :	Max.60 W
Color :	Black
Sizes :	A:170 B:170 C:840



GARDEN LAMP



NAR-6
075-016-0006

NAR-7
075-016-0007

Power :	Max. 2x60W
Color :	Black

Power :	Max. 3x60W
Color :	Black




GARDEN LAMP

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK



PALMERA/S1	PALMERA/S2	PALMERA/S3	PALMERA/S4
075-017-0001	075-017-0002	075-017-0003	075-017-0004

Sizes (mm)	:	A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800
------------	---	--------------------	--------------------	--------------------	--------------------






PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 60W

BLACK



	PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
	075-018-0001	075-018-0002	075-018-0003	075-018-0004
Sizes (mm)	: A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800






KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



KAVAK/SQ-2

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm)

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800




GARDEN LAMP



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



KAVAK-2

075-014-0002

KAVAK-3

075-014-0003

KAVAK-4

075-014-0004

KAVAK-5

075-014-0005

Sizes (mm)

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 89 C: 110


A: 800 B: 89 C: 110





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



LADİN-1

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120

A: 350 B: 120 C: 165


A: 500 B: 120

A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



KAYIN-1

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150






PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W



PALMIYE-1

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230


A: 500 B: 150

A: 800 B: 150



DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

: A:405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110

A: 800 B: 76 C: 110






HOROZ ELECTRIC

LED Garden Lamp

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



	DYNAMIC-1S	DYNAMIC-1	DYNAMIC-2	DYNAMIC-3	DYNAMIC-4
	076-058-1001	076-058-0001	076-058-0002	076-058-0003	076-058-0004
Sizes (mm) :	A: 110 B: 300	A: 110 B: 300	A: 300 B: 300	A: 500 B: 300	A: 800 B: 300

GARDEN LAMP






HOROZ ELECTRIC



LED Garden Lamp

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K



BLACK



PRESTIGE-1S

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm) : A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500


A: 109 B: 800








BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K



MAT CHROME



BAMBU-1

076-016-0001

BAMBU-2

076-016-0002

BAMBU-3

076-016-0003

BAMBU-4

076-016-0004

BAMBU-5

076-016-0005

Sizes (mm)

: A: 252.2 B: 132

A: 183 B: 148.5 C: 132

A: 300 B: 132 C: 98

A: 500 B: 132 C: 98

A: 800 B: 132 C: 98



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



MANGO-1


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003



MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass

NEW PRODUCT



NEW PRODUCT



MANOLYA-1

075-008-0001


MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003


Power	: Max.35W	Max.2x35W	Max.2x60W
Lamp Holder	: GU10	GU10	E27
Body	: Stainless Steel	Stainless Steel	Aluminium
Color	: Mat Chrome / Black	Mat Chrome / Black	Black
Lighting Direction	: Down	Up&Down	Up&Down
Sizes (mm)	: A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108






MAMBA

076 066 0001



MAMBA-SQ

076 067 0001





BLACK

- 220-240V / 50-60Hz
- Max. 2x35W



REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC



BLACK






REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Up	Up&Down	Up	Up&Down

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Down	Up&Down	Down	Up&Down







TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power :	5 W	7 W	12 W	15 W
Luminous Flux :	350 lm	442 lm	821 lm	987 lm
Lighting Direction :	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm) :	W: 85	W: 119	W: 170	W: 220



GARDEN LAMP






PROTON/S


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
076-055-0002	076-055-0004	076-055-0006	076-055-0008

Power	: 2 W	4 W	6 W	8 W
Luminous Flux	: 260 lm	360 lm	540 lm	720 lm
Lighting Direction	: Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	: A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48




LED GARDEN LAMP

PROTON


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



PROTON-2	PROTON-4	PROTON-6	PROTON-8
076-039-0002	076-039-0004	076-039-0006	076-039-0008

Power	: 2 W	4 W	6 W	8 W
Luminous Flux	: 260 lm	360 lm	540 lm	720 lm
Lighting Direction	: Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	: A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49






LAGOS


- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012



NEW PRODUCT




CARAT



- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012



NEW PRODUCT



LED GARDEN LAMP


FACTOR-2

- 85-265V /50-60Hz
- 4200K
- 180 lm
- Average Life: 30.000 Hrs


BLACK

WHITE

076 075 0002



NEW PRODUCT




BAT-6


- 85-265V 50-60Hz
- 4200K
- 540 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006



NEW PRODUCT







BOLERO


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	BOLERO-4	BOLERO-6	BOLERO-8
	076-076-0004	076-076-0006	076-076-0008

Power	: 4W	6W	8W
Luminous Flux	: 360lm	540lm	720lm
Sizes (mm)	: A: 102 B: 48	A: 120 B: 45	A: 160 B: 48





METROPOL-12

- 85-265V 50-60Hz
- 4200K
- 1080 lm
- Average Life: 30.000 Hrs

BLACK


076 073 0012



ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011

Power	: 5W	8W	11W
Luminous Flux	: 450lm	720lm	990lm
Sizes (mm)	: A: 120 B: 50	A: 160 B: 50	A: 210 B: 50







KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power :	5 W	10 W	5 W	10 W
Luminous Flux :	450 lm	900 lm	450 lm	900 lm
Sizes (mm) :	A: 95 B:104 C: 80	A: 95 B:104 C: 134	A: 95 B:104 C: 80	A: 95 B:104 C: 134



LED GARDEN LAMP



VIPER

- 85-265V / 50-60Hz
- 4200K
- 1530 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 073 0017





SCADA

- 85-265V / 50-60Hz
- 4200K
- 1050 lm
- Average Life: 30.000 Hrs

BLACK


WHITE

076 074 0012




LUXIA-G

076 078 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




MORENA

076 080 0020




BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs





LED GARDEN LAMP



MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs

BLACK

BLACK&GOLDEN

076 052 0010





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010






LED GARDEN LAMP

IMPERIAL


- 85 - 265V / 50 - 60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014

Power	: 7 W	2x7 W
Luminous Flux	: 630 lm	1260 lm
Lighting Direction	: Up	Up&Down






HOROZ ELECTRIC

LED Garden Lamp


SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015



BLACK




LED GARDEN LAMP

ANDIZ


BLACK

WHITE

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs




SEKOYA

BLACK

WHITE


076 038 0004



- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs



Adjustable Beam Angle





SAFARI


075 020 0001

NEW PRODUCT



BLACK

- 220-240V / 50-60Hz
- Max. 2x35W
- Bulb not included
- Aluminium Body



SERVI



076 009 0012



BLACK


WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVI

SALKIM

ZAKKUM







MEŞE

TAFLAN

ARDIÇ



	SELVI	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down





HOROZ ELECTRIC


LED Garden Lamp

DRAGON


- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs

BLACK&WHITE

076 060 0015



NEW PRODUCT




LED GARDEN LAMP

SEGMENT


- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

BLACK&WHITE

076 059 0024



NEW PRODUCT







CLEMENT

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 062 0024



NEW PRODUCT




BLACK


- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs

SWEEP

076 061 0024



NEW PRODUCT



CRUZ



TANGO

BLADE

NEW PRODUCT

BLACK&WHITE

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power :	24 W	24 W	24 W
Luminous Flux :	1800 lm	1800 lm	1800 lm


CUBE




BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life:30.000 Hrs

076 068 0008



NEW PRODUCT




CUBE-G




BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life:30.000 Hrs

076 069 0008




NEW PRODUCT






ARENA

076 033 0010





- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

BLACK



SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
076-021-0012	076-019-0012	076-022-0012	076-020-0012





Luminous Flux : 1000 lm 700 lm 900 lm 650 lm

KUKA-5



- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs

076 031 0005






HOROZ ELECTRIC

LED Solar Lamp


SOLARIS



- 3,7V 2,6Ah Li-ion Battery
- 4000K
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002
Power	: 2 W	: 2 W
Luminous Flux	: 220 lm (Strong) - 12 lm (Weak)	: 275 lm (Strong) - 18 lm (Weak)



HOROZ ELECTRIC

LED Solar Lamp




LED SOLAR LAMP


SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs



	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	: 1 W	: 2 W
Luminous Flux	: 140 lm (Strong) - 8 lm (Weak)	: 240 lm (Strong) - 12 lm (Weak)
Battery	: 3.7V 1200 mAh Li-ion	: 3.7V 2200 mAh Li-ion
Back Light	: Yes (Blue)	: No




WITH PIR SENSOR




OMNIA

078 013 0003




- Li-ION Battery 3.7V
- 1800 mAh
- 4000K
- 4 lm
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs
- USB Charging Available
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)



LED SOLAR LAMP / LED SOLAR HOUSE NUMBER LIGHT

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



VENÜS

MARS

NEPTUN







PLUTON

HALLEY

CRYSTAL



	VENUS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No






HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp

DIAMOND

079 026 0002




WHITE

BLACK

GOLD

SILVER

- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp




AWAX

079 030 0001



MAT CHROME

- 220-240V / 50-60Hz
- Max. 50W



ZÜMRÜT

079 001 0003



YAKUT

079 002 0003





WHITE

MAT CHROME

BLACK

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs




LED RECESSED SENSOR LAMP / RECESSED LAMP / LED INGROUND & RECESSED LAMP



AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024

Power	: 1 W	3 W	6 W	9 W	18 W	24 W
Luminous Flux	: 100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	: Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	: A: 65 B:78	A:80 B: 95	A:120 B: 95	A:150 B: 95	A:180 B: 95	A:200 B: 95


ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



İNCI

079 004 0002

SAFİR

079 003 0002

MAT CHROME

- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs




6400K

BLUE

6400K


BLUE



LED INGROUND & RECESSED LAMP




- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	: 147 lm	106 lm	147 lm	106 lm	147 lm	106 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110





- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	: 147 lm	90 lm	147 lm	90 lm	90 lm	90 lm
Sizes (mm)	: A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	: 90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	: W: 95	W: 140	W: 185	W: 95	W: 140	W: 185





LED Strip / RGB RF Controller / Socket Set
 RGB Socket Set / LED Driver
 Touch Controller / RGB Controller / RGB Amplifier
 LED Module Strip / Aluminium Profile



WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs




220-240V




Can be cut each 1 meter


NEOLED/SLIM



NEOLED



NEOLED/RGB



	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	5,8 W/m	6 W/m	9 W/m
Luminous Flux :	520 lm/m	540 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Thickness :	15 mm	15 mm	20 mm


LED STRIP

WATERPROOF











- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



220-240V



VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
-------	-------------	----------	----------------	------	------------



	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002

Power :	3.5 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	240 lm/m	-	290 lm/m	-	576 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm



RGB RF CONTROLLER

■ 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



SOCKET SET

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED/SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm



RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm






COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m



24VDC



Can be cut each 5 centimeters



SWAN-24



081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K



24V DC



Can be cut each 2.5 centimeters

CANTON-24



081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K




24V DC



Can be cut each 5 centimeters

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	60 W	100 W	150 W	200 W	300 W
Output Current	2,5A	4,1A	6,25A	8,3A	12,5A
COLUMBIA-24 LED Strip	5m	9m	14m	20m	28m
CANTON-24/SWAN-24 LED Strip	3m	5m	8m	11m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188





REN

REN/RGB




THAMES

THAMES/RGB



WATERPROOF

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC



	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



LED STRIP / LED DRIVER

VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45





NIL



AMAZON



NIL/RGB

AMAZON/RGB

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application




12V DC



	NIL	NIL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0,8A	3A	5A	8,5A	12A	17A	20,8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1,5m	4m	6,5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225




TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288

Color	: Single	16 million
Output Power	: 144-288W	144-288W
Output Current	: 4Ax3 Channel	4A/Each Color
35x28 LED Strips	: 30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	: 10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	: 5	12



TOUCH CONTROLLER / LED DRIVER




VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072

Output Power	: 12 W	24 W	36 W	48 W	60 W	72 W
Output Current	: 1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	: 3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	: 1m	1.5m	2m	3m	4m	5m
Length (mm)	: L: 153	L: 153	L: 260	L: 290	L: 290	L: 355







RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432

Output Power	: 72 W	216 W-432 W
Output Current	: 2A/Each Color	6A/Each Color
Input Voltage	: DC 12V	DC 12V-DC 24V
Output Voltage	: DC 12V	DC 12V-DC 24V
35x28 RGB LED Strip	: 15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	: IR	RF



RGB CONTROLLER / RGB AMPLIFIER


AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



AMPLIFIER-12A	AMPLIFIER-30A
101-001-0144	101-001-0360

Output Power	: 144 W	360 W
Output Current	: 4A/Each Color	10A/Each Color
35x28 RGB LED Strip	: 30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter





HOROZ ELECTRIC

LED Module Strip

NELSON



081 024 0001







WATERPROOF

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module



12V DC

NEW PRODUCT



LED MODULE STRIP






PROFILE-R1

120 001 0001

■ Recessed Type

3m




PROFILE-R2

120 001 0002

■ Recessed Type

3m




PROFILE-S1

120 002 0001

■ Surface Type

3m




PROFILE-S2

120 002 0002

■ Surface Type

3m




PROFILE-C1

120 003 0001

■ Corner Type

3m





HOROZ ELECTRIC

LED Christmas Light & Drivers

MONTANA



LINKABLE

080 001 0004

- 4.5V DC
- 4W/10m
- 335 lm/10m
- Average Life: 30.000 Hrs
- Standart Length: 1 m / 10 LED
- Package : 10m/ Roll



HOROZ ELECTRIC


LED Christmas Light & Drivers



- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4.5V



	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:50 B:20 C:25	A:60 B:20 C:25



LED CHRISTMAS LIGHT & DRIVERS





HOROZ ELECTRIC

LED Lantern / LED Solar Camping Light

VERON

084 037 0015




CCT Adjustable

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time:
 - 6 Hours (3000K-6400K)
 - 4 Hours (4200K)
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE



CRESPO


084 036 0025



- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE



LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp




HOROZ ELECTRIC



FORLAN

084 023 0010



- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Tube: 1.5 Hours
 - 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE



ROMARIO


084 022 0010



- 220-240V / 50-60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Hour for Strong Light
 - 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR

RECHARGEABLE




LED LANTERN / LED SOLAR CAMPING LIGHT



HENRY

084 034 0005



- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




LED LANTERN

RECHARGEABLE

EMERGENCY EXIT


AUTOMATIC LIGHT-UP



EMERGENCY LED LANTERN



MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included




LED LANTERN

RECHARGEABLE

EMERGENCY EXIT

AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003

Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45



WENGER


084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - Step 1: 1 Hour
 - Step 2: 2 Hours
- Average Life: 30.000 Hrs




- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DESK LAMP MODE



HANGABLE + MOUNTABLE




	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023

Power	: 9 W	15 W	23 W
Luminous Flux	: 280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	: 4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	: 3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	: A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50




- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP




MÜLLER

084 018 0001




- RECHARGEABLE
- AUTOMATIC LIGHT-UP
- AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs



BECKHAM



- LED HEADLIGHT
- RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003

Power	: 1 W	3 W
Luminous Flux	: 100 lm	200 lm
Battery	: 4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	: 20m	30m
Sizes (mm)	: A: 70 B: 81 C: 98	A: 85 B: 92 C: 96







ZOLA

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE




PELE


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light



LED TORCH
RECHARGEABLE



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003
Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170




BEST


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light



LED TORCH
RECHARGEABLE



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005
Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240




PUSKAS


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE



	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003
Power	0.5 W	0.9 W
Luminous Flux	25 lm	45 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	4 Hours	5 Hours
Sizes (mm)	A: 75 B: 195	A: 100 B: 210





MARADONA-2

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE





ROBSON

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes


084 020 0002

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



LED EMERGENCY EXIT LAMP

ZOFF

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes


084 019 0001

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s




MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12±1m Max. (<24°C)
- Time-delay: 5 sec - 7±2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec - 8±2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



LIGHT CONTROL PHOTOSENSOR / SENSOR




FOCUS

088 001 0001

WHITE

BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max 1000W
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec - 10±2 min.
- Ambient Light: < 10Lux - 2000Lux




MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




CORSA

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m




POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0.6-1.5 m/s




Detection is possible to go through doors, panes of glass or thin walls

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)






LORD

086 001 0001


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLID

086 001 0002


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLO

086 001 0006


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



ALBA

086 001 0004


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



HELIX

086 001 0003


- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome - Alarm
- USB Cable Included



VIOLA

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional








CONTROLLER

Wireless Lighting
Controller Switch



- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
- Energy saving lamp / LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)



CONTROLLER-1

105-001-0001

1 Channel



CONTROLLER-2

105-001-0002


2 Channels



CONTROLLER-3




105-001-0003

3 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A




	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001

Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

HORIZON

112 006 0001

- 250V-
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)





ATOM

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)



112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003

■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)





112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)



112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET





EVA

■ 250V-



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET





Motor Protector Box
Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker




SAFE

Motor Protector Box


■ For all Motor Protectors except 114-006-2540

114 008 0001



SAFE

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:61.5C:105



SAFE

Contactor

NEW PRODUCT




	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	: 9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	: 3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	: 4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:47B:76C:82	A:47B:76C:82	A:47B:76C:87	A:57B:86C:95	A:57B:86C:100	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116

SAFE

Thermal Relay

NEW PRODUCT



	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	: 0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	: 3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1,5kW	2,2kW	4kW	5,5kW	9kW	11kW	15kW	18,5kW	22kW
Rated Voltage (V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7



SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA



	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm



MINIATURE CIRCUIT BREAKER

**SAFE****RCCB Circuit Breaker**

	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	: 25A	40A	25A	40A	63A	80A	100A
Poles	: 2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	: AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	: 4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	: 230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	: 30	30	30	30	30	30	30
Sizes (mm)	: A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	: 40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	: C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	: 20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110




Lamp Holder




094 004 0001

10 cm. 20 cm.




094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003




094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003



094 003 0004




LAMP HOLDER



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable


Starter



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

- 220-240V / 50-60Hz
- 12V AC



	TRANSFORMER-60	TRANSFORMER-105
	093-001-0060	093-001-0105
Power :	60 W	105 W



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS

■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6



IP 68 CONNECTOR

- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection





	IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
	106-004-0001	106-004-0002
Pole :	1 Pole	2 Poles



SLIM CONNECTOR


- 450V-
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent



	SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
	103-002-0002	103-002-0003	103-002-0005
Pole :	2 Poles	3 Poles	5 Poles

CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG




	CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
	103-001-0002	103-001-0003	103-001-0005
Pole :	2 Poles	3 Poles	5 Poles



Connector Wire Spring Terminal Block



WIRE SPRING



	WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
	106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060
Pole :	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range :	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage :	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **KaçmazGrup**

www.horozelektrik.com

